



ACCESS CONTROL LOCKSETS



PDQ
MFG WEBSITE

Lock and unlock with a smartphone Access has never been so easy since smartphones have become the new keys.

Affordable No hard wiring, quick and easy installation, plug and play.

Operate locks your way Life is about choices and locks should be too. With smartphone, RFID, PIN code, smartwatch, smart remote, and key, unlocking is super-easy and convenient.

Scheduling access makes your life easy and convenient pdqSMART is perfect for scheduling access for regular visitors like the cleaning service, maintenance crew, or service technicians.

Easily track who comes and goes The app displays all activity including detailed information about who's coming and going, both on your smartphone and on the web portal.

Safe and secure - peace of mind Safety and security? We've got

ACCESS CONTROL LOCKSETS

you covered. pdqSMART commercial grade locks combined with AES 128-bit/Cipher Block Chaining encryptions keeps your business protected from hackers and intruders.

Operate remotely Control access anywhere, anytime, 24/7. Whether you're in the office or halfway around the world, keep your property or business running smoothly with easy and secure pdqSMART locks.

Your lock keeps getting smarter...it's future-proofed With over-the-air updates, you'll never have to worry about locks becoming obsolete. As technology advances, pdqSMART will keep your lock on the leading edge adding new features and capabilities, and it's all for free.

Push notifications short-cut lock operation and keep you posted on who's coming and going. Push notifications let you know the service technicians arrived or who entered the office after hours. Approach the lock and the app pops up, allowing for quick and easy entry.

Perfect for retrofits It's quick and easy to upgrade existing mechanical locks to key-free access.

ACCESS CONTROL LOCKSETS

PDQ SDS-STP-116-PHL-626-234-ASA-S pdqSMART STAND-ALONE SMART TOUCH PIN GRADE 2 CYLINDRICAL LOCK

Barcode for PDQ SDS-STP-116-PHL-626-234-ASA-S with SRP \$482

PDQ GTS-STP-116-PHL-626-234-ASA-SCC-L pdqSMART STAND-ALONE SMART TOUCH PIN GRADE 1 CYLINDRICAL LOCK

Barcode for PDQ GTS-STP-116-PHL-626-234-ASA-SCC-L with SRP \$650

PDQ GTS-STP-116-PHL-626-234-ASA-SCC-R pdqSMART STAND-ALONE SMART TOUCH PIN GRADE 1 CYLINDRICAL LOCK

Barcode for PDQ GTS-STP-116-PHL-626-234-ASA-SCC-R with SRP \$650

PDQ SDS-XLS-116-PHL-626-234-ASA-S pdqSMART CLOUD HOSTED NETWORKED ACCESS CONTROL GRADE 2 CYLINDRICAL LOCK

Barcode for PDQ SDS-XLS-116-PHL-626-234-ASA-S with SRP \$665

PDQ GTS-XLS-116-PHL-626-234-ASA-SCC-L pdqSMART CLOUD HOSTED NETWORKED ACCESS CONTROL GRADE 1 CYLINDRICAL LOCK

Barcode for PDQ GTS-XLS-116-PHL-626-234-ASA-SCC-L with SRP \$830



**ACCESS CONTROL
LOCKSETS**

PDQ GTS-XLS-116-PHL-626-234-ASA-SCC-R pdqSMART CLOUD HOSTED NETWORKED ACCESS CONTROL GRADE 1 CYLINDRICAL LOCK



SRP \$830



SCHLAGE CO-100 KEYPAD PROGRAMMABLE LOCK

[MFG WEBSITE](#)

CO-100 Keypad Programmable Lock
Part of the CO Series, this simple offline, keypad-entry lock is designed for up to 500 unique users using PIN code entry only. CO-100 is an economic alternative anytime there is a desire to minimize key distribution . CO-100 models are designed for use as easy to manage, low maintenance locks that use 3-6 digit PIN codes as credentials. Administrator level users can program it right at the door to add or delete user PIN codes or change preferences or functions at any time.

They are ideal for:

- Visitor pass through/common areas
- Vestibules or reception area doors controlled by remote release
- Pool gates, breezeways and other

**ACCESS CONTROL
LOCKSETS**

outdoor applications
Maintenance areas
Supply closets/equipment rooms
Workout rooms
Restrooms/bathrooms
Dressing/fitting rooms
Maternity/nursing rooms
Other private rooms needing occupancy indication
Cylindrical, mortise, and exit trim chassis options are available as well as a wide variety of finishes and levers to suite with existing hardware. Mechanical key override is standard and compatible with cylinders from Schlage and other popular brands. The CO-Series is also compatible with many popular brands of exit devices.

SCHEL CO-100-CY-70-KP-RHO-626-BD (less core)



SRP \$866

SCHEL CO-100-CY-70-KP-RHO-626-PD (with 6-pin Schlage C cylinder, 2 keys)



SRP \$866

SCHEL CO-100-CY-70-KP-SPA-626-BD (less core)



SRP \$866

**ACCESS CONTROL
LOCKSETS**

SCHEL CO-100-CY-70-KP-SPA-626-PD (with 6-pin Schlage C cylinder, 2 keys)



SRP \$866



CYLINDRICAL LOCKSETS



BEST 7KC SERIES

[MFG WEBSITE](#)

Medium Duty Locks - Levers

- Cylindrical chassis to fit common door preparation.
- Standard and Drive-in latches available.
- Through-bolt mounting studs increase torque resistance.
- Quick rekeying with BEST interchangeable core.
- No exposed keeper hole on keyed levers for increased security.
- Hub torque spring provides extra resistance to lever sag.
- Snap-on inside rose (no exposed mounting screws).
- Keyed lever is removable only after removal of core.
- Internal steel mechanisms are corrosion treated for normal atmospheric conditions.
- ADA–Americans With Disabilities Act: 7KC series – The design and operation of the BEST® cylindrical lock meets the intent of the standard for ANSI A117.1 section 404.2.6 and Illinois Accessibility Standard 400.310 (j)(8).
- Lockset reversible for either hand of door without removing keyed lever.
- Underwriters Laboratories®: 7KC series – Listed by

CYLINDRICAL LOCKSETS

Underwriters Laboratories for use on 3 Hr,

A label for single (4' x 8') doors.

- Builders Hardware Manufacturers Association: 7KC series – Listed by BHMA for A156.2, Series 4000, Grade 2.
- ADA–Americans With Disabilities Act: 7KC series – The design and operation of the BEST® cylindrical lock meets the intent of the standard for ANSI A117.1 section 404.2.6 and Illinois Accessibility Standard 400.310 (j)(8).
- California State Fire Marshal: 7KC - series 14 & 15 lever conforms with California Title 24. Products protected by one or more of the following patents: 5,590,555 5,794,472

BES 7KC30N15DS3-626 PASSAGE



SRP \$228

BES 7KC30N15DS3-613 PASSAGE



SRP \$248

BES 7KC30L15DS3-626 PRIVACY



SRP \$250

BES 7KC30L15DS3-613 PRIVACY



SRP \$270

CYLINDRICAL LOCKSETS

BES 7KC37AB15DS3-626 ENTRY



SRP \$311

BES 7KC37D15DS3-626 STOREROOM



SRP \$311

BES 7KC37R15DS3-626 CLASSRM



SRP \$311

BES 7KC37AB15DS3-613 ENTRY



SRP \$331

BES 7KC37D15DS3-613 STOREROOM



SRP \$331

BES 7KC37R15DS3-613 CLASSRM



SRP \$331



CYLINDRICAL LOCKSETS



BEST 9K SERIES

[MFG WEBSITE](#)

The BEST 9K. Now houses most interchangeable cores. The 9K has long been a top choice for its quick installation, safety and durability. Now, we've made it an easy choice, too, by updating it to house most large format interchangeable cores. Just slide the existing core out of the lock you're replacing, install the new 9K, and slide the old core back into the 9K lever. No assembly, drilling or re-keying required. It's the easiest upgrade you'll ever make.

THE 9K SERIES FEATURES:

Easily Adaptable
No redrilling or hassle—the 9K works with most existing large format interchangeable cores.

Hardened steel through-bolt studs
Deliver maximum lever torque resistance that stands up to the hardest hands.

Pre-assembled heavy-duty chassis
Out of the box and onto the door, the 9K offers quick and easy installation.

CYLINDRICAL LOCKSETS

Intruder function option
Enables you to secure classroom doors quickly from the inside during an emergency.

Cast construction lock hub
Protects the lock's critical components from everyday use and abuse.

Proven quality
Tested to exceed 10 times the BHMA Grade 1 criteria by UL.

Low-profile rose design
Ensures ADA-friendly lever operation works every time in a variety of settings.

Popular finishes
Available in 11 beautiful, durable finishes.

BES 9K30N15DS3-626 PASSAGE



SRP \$464

BES 9K30N15DS3-613 PASSAGE



SRP \$484

BES 9K30L15DS3-626 PRIVACY



SRP \$535

CYLINDRICAL LOCKSETS

BES 9K30L15DS3-613 PRIVACY



SRP \$555

BES 9K37AB15DS3-626 ENTRY



SRP \$665

BES 9K37B15DS3-626 ENTRY (push button only, no thumb turn)



SRP \$665

BES 9K37D15DS3-626 STOREROOM



SRP \$665

BES 9K37R15DS3-626 CLASSRM



SRP \$665

BES 9K37AB15DS3-613 ENTRY



SRP \$685

BES 9K37B15DS3-613 ENTRY (push button only, no thumb turn)



SRP \$685

CYLINDRICAL LOCKSETS

BES 9K37D15DS3-613 STOREROOM



* 9 K 3 7 D 1 5 D S 3 6 1 3 *

SRP \$685

BES 9K37R15DS3-613 CLASSRM



* 9 K 3 7 R 1 5 D S 3 6 1 3 *

SRP \$685

BES 9K37IN15DS3-613 INTRUDER



* 9 K 3 7 I N 1 5 D S 3 6 1 3 *

SRP \$778

BES 9KW37DEU15DS3-626 RQE 24V



* 9 K W 3 7 D E U 1 5 D 6 2 6 *

SRP \$1,175

BES 9KW37DEU15DS3-613 RQE 24V



* 9 K W 3 7 D E U 1 5 D 6 1 3 *

SRP \$1,195

BES 9KZ37DV15KPS3-626-8CE L/C
KEYPAD LOCK



* 9 K Z 3 7 D V 1 5 K P S 3 *

SRP \$1,219

CYLINDRICAL LOCKSETS



CAL ROYAL Pioneer SL Series

[MFG WEBSITE](#)

DOOR RANGES 1 3/8" to 1 3/4" thickness doors
 BACKSET 2 3/4" Standard, 2 3/8" Optional
 LATCHBOLT 1/2" Throw solid brass, reversible for RH or LH applications. UL Listed
 LATCH FACEPLATE 2 1/4" x 1 1/8", adjustable for flat or beveled doors 1/8" in 2", for 2 3/4" backset. Optional 2 1/4" x 1" for 2 3/8" backset
 STRIKES ASA strike standard, "T" and full lip stike available on request
 EXPOSED TRIM Wrought Brass, Bronze or Stainless Steel, levers are Zinc casting, plated to match trim finish
 ANSI STANDARDS Meets or exceeds requirements of BHMA/ANSI A156.2 Series 4000, Grade 2 (FF-H 106C), 400,000 cycles

T220

DOOR RANGES 1 3/8" to 1 3/4" thickness doors
 BACKSET Adjustable 2 3/8" or 2 3/4"
 DEADBOLT FACEPLATE
 Latchbolt: Standard 2 1/4" X 1" packed with 1/8" plastic filler to convert 1" face plate to 1 1/8" wide door preparations
 TRIM Wrought Brass or Stainless

CYLINDRICAL LOCKSETS

Steel
 BORE DIAMETER 1" for latch, 1 1/2" or 2 1/8" for lock housing
 STRIKE 1 1/8" X 2 3/4" Square Corner

CAL SL40 DUMMY LEVER 26D



* S L 4 0 2 6 D *

SRP \$25

CAL SL40 DUMMY LEVER 10B



* S L 4 0 1 0 B *

SRP \$28

CAL SL40 DUMMY LEVER US1 (BLACK)



* S L 4 0 U S 1 *

SRP \$28

CAL SL30 PASSAGE LOCK 26D



* S L 3 0 2 6 D *

SRP \$72

CAL SL30 PASSAGE LOCK US3



* S L 3 0 U S 3 *

SRP \$72

CAL SL20 PRIVACY LOCK 26D



* S L 2 0 2 6 D *

SRP \$74



CYLINDRICAL LOCKSETS

CAL SL20 PRIVACY LOCK US3



* S L 2 0 U S 3 *

SRP \$74

CAL SL30 PASSAGE LOCK 10B



* S L 3 0 1 0 B *

SRP \$76

CAL SL30 PASSAGE LOCK US1 (BLACK)



* S L 3 0 U S 1 *

SRP \$76

CAL SL30 PASSAGE LOCK US10



* S L 3 0 U S 1 0 *

SRP \$76

CAL SL30 PASSAGE LOCK US26



* S L 3 0 U S 2 6 *

SRP \$76

CAL SL20 PRIVACY LOCK 10B



* S L 2 0 1 0 B *

SRP \$79

CAL SL20 PRIVACY LOCK US1 (BLACK)



* S L 2 0 U S 1 *

SRP \$79

CYLINDRICAL LOCKSETS

CAL SL20 PRIVACY LOCK US10



* S L 2 0 U S 1 0 *

SRP \$79

CAL SL20 PRIVACY LOCK US26



* S L 2 0 U S 2 6 *

SRP \$79

CAL IC SL00 ENTRANCE LOCK 26D



* I C S L 0 0 2 6 D *

SRP \$90

CAL I.C. SL03 CLASSRM LOCK 26D



* I C S L 0 3 2 6 D *

SRP \$90

CAL IC SL05 STORERM LOCK 26D



* I C S L 0 5 2 6 D *

SRP \$90

CAL SL00 ENTRANCE LOCK 26D



* S L 0 0 2 6 D *

SRP \$90

CAL SL00 ENTRANCE LOCK US3



* S L 0 0 U S 3 *

SRP \$90

CYLINDRICAL LOCKSETS

CAL SL03 CLASSRM LOCK 26D



* S L 0 3 2 6 D *

SRP \$90

CAL SL05 STORE RM LOCK 26D



* S L 0 5 2 6 D *

SRP \$90

CAL SL05 STORE RM LOCK US3



* S L 0 5 U S 3 *

SRP \$90

CAL SL00 ENTRANCE LOCK 26D KEYED ALIKE --- Keyshop to record bitting



* S L 0 0 2 6 D K A *

SRP \$92

CAL IC SL00 ENTRANCE LOCK 10B



* I C S L 0 0 1 0 B *

SRP \$93

CAL SL00 ENTRANCE LOCK 10B



* S L 0 0 1 0 B *

SRP \$93

CAL SL00 ENTRANCE LOCK US1 (BLACK)



* S L 0 0 U S 1 *

SRP \$93

CYLINDRICAL LOCKSETS

CAL SL00 ENTRANCE LOCK US10



SRP \$93

CAL SL00 ENTRANCE LOCK US26



SRP \$93

CAL SL03 CLASSRM LOCK 10B



SRP \$93

CAL SL03 CLASSRM LOCK US1 (BLACK)



SRP \$93

CAL SL05 STORE RM LOCK 10B



SRP \$93

CAL SL05 STORE RM LOCK US1 (BLACK)



SRP \$93

CAL SL05 STORE RM LOCK US 10



SRP \$93

CYLINDRICAL LOCKSETS

CAL SL05 STORE RM LOCK US26



SRP \$93



CAL-ROYAL Barrington BA Series

[MFG WEBSITE](#)

DOOR RANGES: - 1 3/8" to 1 3/4" thickness doors
 BACKSET: - 2 3/4" Standard, 2 3/8", 3 3/4" and 5" extension available.

STRIKES: - ANSI strike standard, 4 7/8" x 1 1/4" . Optional "T" and full lip strike available on request.
 ADDITIONAL KEYWAYS: - 6 pin solid brass "C" keyway standard. Schlage E, Schlage C-K, Russwin D1-2-3-4, Corbin 59/60, Corbin-Russwin L4, Sargent LA-LB-LC, Falcon/Weiser E, Arrow A, Yale 8, Yale GA and Kwikset. Can also accept Medeco, Assa, Kaba and Cal-Royal HSK High Security Cylinders KEYING- 6-pin "C" keyway cylinder, 2 keys per lock.
 BORE DIAMETER: - 1" for latch. 2 1/8" for lock housing.

INTERCHANGEABLE CORE - Interchangeable Core locks will accept compatible 6 or 7 pin cores with BEST, FALCON and ARROW. Prefix "IC" before part number. Available combined or uncombined. Temporary construction cores available. Factory keying with control key

CYLINDRICAL LOCKSETS

and masterkey available.
 LATCH FACEPLATE - 2 1/4" x 1 1/8" for 2 3/4" backset, 2 1/4" x 1" for 2 3/8" backset.
 EXPOSED TRIM - Wrought brass, bronze or stainless steel.
 ANSI STANDARDS - Meets or exceeds requirements of BHMA/ANSI A156.2 series 4000 for grade 2 (FF-H-106C).

CAL BA30 PASSAGE LOCK 32D



SRP \$31

CAL BA20 PRIVACY US 32D



SRP \$36

CAL BA30 PASSAGE LOCK 10B



SRP \$36

CAL BA00 ENTRANCE LOCK 32D



SRP \$44

CAL ICBA00 ENTRANCE LOCK 32D



SRP \$50

CAL BA00 ENTRANCE LOCK 10B



SRP \$51

CYLINDRICAL LOCKSETS



FALCON 914 KEY IN LEVER

[MFG WEBSITE](#)

KEY IN LEVERSET FOR 1-3/4" THICK DOORS

FAL 914-KIL-KD ENTRY DANE US32D (RHR, Field Reversible) Falcon C Keyway



* 9 1 4 K I L K D D 3 2 D *

SRP \$185

FAL 914-KIL-IC ENTRY DANE US32D (RHR, Field Reversible) Core included, A keyway



* 9 1 4 K I L I C D 3 2 D *

SRP \$228



FALCON B Series

[MFG WEBSITE](#)

The B Series medium-duty lever lock offers tough, reliable performance and is ideal for new construction projects in retail, industrial, multi-family, government and military applications. It is a certified ANSI/BHMA A156.2 Series 4000

CYLINDRICAL LOCKSETS

Grade 2 lock and exceeds the standard for durability and reliability. It is UL listed and meets ADA standards with two of the most common lever designs in the industry.

In retrofit situations, the B Series offers interchangeable cores for quick and convenient re-keying and is compatible with cores built by other manufacturers. The B Series is ideal for new construction and retrofit jobs where cost is a concern, but security and reliability are required.

FAL B101S-D-26D PASSAGE



* B 1 0 1 S - D - 6 2 6 *

SRP \$155

FAL B101S-Q-26D PASSAGE



* B 1 0 1 S - Q - 6 2 6 *

SRP \$155

FAL B301S-D-26D PRIVACY



* B 3 0 1 S - D - 6 2 6 *

SRP \$179

FAL B301S-Q-26D PRIVACY



* B 3 0 1 S - Q - 6 2 6 *

SRP \$179

FAL B511BD-D-26D OFFICE



* B 5 1 1 B D - D - 6 2 6 *

SRP \$215

CYLINDRICAL LOCKSETS

FAL B511BD-Q-26D OFFICE



* B 5 1 1 B D - Q - 6 2 6 *

SRP \$215

FAL B561BD-D-26D C/ROOM



* B 5 6 1 B D - D - 6 2 6 *

SRP \$215

FAL B561BD-Q-26D C/ROOM



* B 5 6 1 B D - Q - 6 2 6 *

SRP \$215

FAL B581BD-D-26D S/ROOM



* B 5 8 1 B D - D - 6 2 6 *

SRP \$215

FAL B581BD-Q-26D S/ROOM



* B 5 8 1 B D - Q - 6 2 6 *

SRP \$215



FALCON W Series

[MFG WEBSITE](#)

CYLINDRICAL LOCKSETS

The W Series medium-duty cylindrical locks feature two lever styles, two knob styles and two rose diameters to match most commercial door trims. Ideal for low-traffic doorways, the W Series can be used in retail, multi-family, mix-use, government and industrial applications.

The W Series is UL listed and meets ANSI/BHMA A156.2 Series 4000 Grade 2 standards for durability. Interchangeable cores remove for quick and convenient re-keying and are compatible with cores built by other manufacturers. The W Series delivers a quality product at a value price point and is versatile enough to fit various applications.

FAL W101S SRQ 626 PASSAGE



* W 1 0 1 S S R Q 6 2 6 *

SRP \$115

FAL W301S SRQ 626 PRIVACY



* W 3 0 1 S S R Q 6 2 6 *

SRP \$117

FAL W511BD SRQ 626 ENTRY SFIC



* W 5 1 1 B D S R Q 6 2 6 *

SRP \$141

FAL W511CP6D SRQ 626 ENTRY



* W 5 1 1 C P 6 D S R Q 6 2 6 *

SRP \$141

CYLINDRICAL LOCKSETS

FAL W561BD SRQ 626 CLASSROOM SFIC



* W 5 6 1 B D S R Q 6 2 6 *

SRP \$141

FAL W561CP6D SRQ 626 CLASSROOM



* W 5 6 1 C P 6 D S R Q 6 2 6 *

SRP \$141

FAL W581BD SRQ 626 STOREROOM SFIC



* W 5 8 1 B D S R Q 6 2 6 *

SRP \$141

FAL W581CP6D SRQ 626 STOREROOM



* W 5 8 1 C P 6 D S R Q 6 2 6 *

SRP \$141



SARGENT 10 LINE

[MFG WEBSITE](#)

Enduring more than 1.5 times the industry standard of abusive force, the 10 Line lock is a heavy-duty key-in-lever handle lockset that also exceeds the ANSI/BHMA 156.2 Series 4000 Grade 1 standards by nine times, at over 9 million cycles. And in addition to preventing unwanted entry, the 10 Line is designed to conform to national and state fire and handicapped requirements.

CYLINDRICAL LOCKSETS

FEATURES

Installs in one minute or less
Adapts to fit multiple thrubolt positions
Customizable with a variety of lever styles, finishes and functions

BENEFITS
Efficient Installation: Pre-assembled components make installation quick and easy
Flexible: accommodates retrofit applications and a variety of door preparations
Customizable: offered with a variety of lever styles, roses and finishes

SAR 28 10U15 LL PASSAGE 26D



* 2 8 1 0 U 1 5 L L 2 6 D *

SRP \$488

SAR 28 10U65 LL PRIVACY 26D



* 2 8 1 0 U 6 5 L L 2 6 D *

SRP \$581

SAR 28-10G04-LL ST/RM 26D



* 2 8 1 0 G 0 4 L L 2 6 D *

SRP \$680

SAR 28 10G05 LL OFFICE 26D



* 2 8 1 0 G 0 5 L L 2 6 D *

SRP \$680



CYLINDRICAL LOCKSETS

SAR 28-10G37-LL CL/RM 26D



SRP \$680

SAR 60-28-10G05-LL 26D ENTRY LESS LFIC CORE



SRP \$680

SAR 28-10G71 LL 26D ELEC STOREROOM 24V



SRP \$991



SARGENT 11 LINE

[MFG WEBSITE](#)

Providing unequalled strength and durability, the 11 Line lock is the ever-reliable lock of choice in demanding environments like schools or healthcare facilities. Its unique T-Zone® construction with true interlocking between the lock body and latch easily exceeds ANSI/BHMA Grade 1 requirements for torque and cycle testing—ensuring optimal operation even in abusive applications.

FEATURES

18 available functions, with many

CYLINDRICAL LOCKSETS

functions being field changeable
Integrates into most existing key systems
Fits standard 161 door prep and is non-handed
10-year limited warranty
BENEFITS

Reliable: no through bolts or surface screws to be installed. T-Zone construction prevents the lock from twisting
Flexible: utilizes one lock body for multiple functions, simplifying facility maintenance
Secure: torque-resistant construction enables lock to withstand tough environments

SAR 28 11U15 LL PASSAGE 26D



SRP \$525

SAR 28 11G04 LL ST/RM 26D



SRP \$706



SARGENT 6500 LINE

[MFG WEBSITE](#)

CYLINDRICAL LOCKSETS

Designed for increased usability, the 6500 Line standard duty key-in-lever lock exceeds ANSI/BHMA Grade 2 standards. It installs easily and is available in eight functions and six different finishes to match existing facility aesthetics.

SAR 28 65U15 KL PASSAGE 26D



SRP \$206

SAR 28 65U65 KL PRIVACY 26D



SRP \$234

SAR 28-60 65G05 KL OFFICE 26D



SRP \$297

SAR 28-65G04 KL ST/RM 26D



SRP \$297

SAR 28 65G05 KL OFFICE 26D



SRP \$297

SAR 28 65G37 KL CL/RM 26D



SRP \$297



CYLINDRICAL LOCKSETS

SAR 70 28 65G05 KL OFFICE 26D



* 7 0 2 8 6 5 G 0 5 K L 2 6 D *

SRP \$297



SCHLAGE AL Series

[MFG WEBSITE](#)

AL Series
 Dependable performance for high traffic commercial applications
 At Schlage, we know that every product you specify has to stand up to constant use, while meeting your needs for security at every level.
 Our AL Series locks are designed to deliver ADA compliant accessibility and constant, reliable performance. The AL Series is best for buildings with medium to high traffic flow, such as interior office doors, banks, retail spaces and hotel guest areas. With a Grade 2 ANSI rating, and styles and finishes to suit your building's design, the AL Series fits right where you need it. Pictured here: Jupiter lever shown in 626 satin chrome

CYLINDRICAL LOCKSETS

SCH AL10S JUP 626 PASSAGE



* A L 1 0 S J U P 6 2 6 *

SRP \$211

SCH AL10S SAT 626 PASSAGE



* A L 1 0 S S A T 6 2 6 *

SRP \$211

SCH AL40S JUP 626 PRIVACY



* A L 4 0 S J U P 6 2 6 *

SRP \$240

SCH AL40S SAT 626 PRIVACY



* A L 4 0 S S A T 6 2 6 *

SRP \$240

SCH AL10S JUP 613 PASSAGE



* A L 1 0 S J U P 6 1 3 *

SRP \$241

SCH AL10S SAT 613 PASSAGE



* A L 1 0 S S A T 6 1 3 *

SRP \$241

SCH AL40S JUP 613 PRIVACY



* A L 4 0 S J U P 6 1 3 *

SRP \$270

CYLINDRICAL LOCKSETS

SCH AL40S SAT 613 PRIVACY



* A L 4 0 S S A T 6 1 3 *

SRP \$270

SCH AL50PD JUP 626 C K WY ENTRY



* A L 5 0 P D J U P 6 2 6 *

SRP \$307

SCH AL50PD SAT 626 C K WY ENTRY



* A L 5 0 P D S A T 6 2 6 *

SRP \$307

SCH AL53PD JUP 626 C K WY ENTRY LOCKSET



* A L 5 3 P D J U P 6 2 6 *

SRP \$307

SCH AL53PD SAT 626 C K WY ENTRY LOCKSET



* A L 5 3 P D S A T 6 2 6 *

SRP \$307

SCH AL70PD JUP 626 C K WY CLASSROOM



* A L 7 0 P D J U P 6 2 6 *

SRP \$307

SCH AL70PD SAT 626 C K WY CLASSROOM



* A L 7 0 P D S A T 6 2 6 *

SRP \$307

CYLINDRICAL LOCKSETS

SCH AL80PD JUP 626 C KWY STOREROOM



* A L 8 0 P D J U P 6 2 6 *

SRP \$307

SCH AL80PD SAT 626 C KWY STOREROOM



* A L 8 0 P D S A T 6 2 6 *

SRP \$307

SCH AL53PD JUP 613 C KWY ENTRY LOCKSET



* A L 5 3 P D J U P 6 1 3 *

SRP \$337

SCH AL53PD SAT 613 C KWY ENTRY LOCKSET



* A L 5 3 P D S A T 6 1 3 *

SRP \$337

SCH AL70PD JUP 613 C KWY CLASSROOM



* A L 7 0 P D J U P 6 1 3 *

SRP \$337

SCH AL70PD SAT 613 C KWY CLASSROOM



* A L 7 0 P D S A T 6 1 3 *

SRP \$337

SCH AL80PD JUP 613 C KWY STOREROOM



* A L 8 0 P D J U P 6 1 3 *

SRP \$337

CYLINDRICAL LOCKSETS

SCH AL80PD SAT 613 C KWY STOREROOM



* A L 8 0 P D S A T 6 1 3 *

SRP \$337



SCHLAGE ND Series

[MFG WEBSITE](#)

Significantly exceeds ANSI/BHMA Grade 1 requirements

No access with minimum 3,100 in-lb. abusive lever torque, the equivalent of over 690 lbs. applied to the end of a 4-1/2" lever, 2.6 times over the BHMA requirement*

No access with minimum 1,600 lbs. offset lever pull for protection against pry bar attacks, 8 times over the BHMA requirement*
5 points of engagement provide nearly zero droop and wobble after 16 million cycles, 16 times over the BHMA requirement*, without the use of set screws or o-rings

High security locking when used with Primus XP UL 437 listed cylinders

Function availability and convenience

24 mechanical/4 electrified functions (custom functions available)

Multiple key systems available: open, patented and restricted

CYLINDRICAL LOCKSETS

Four electrified functions auto-detect 12/24V DC operation and, with maximum current draws of 0.4 amps and 0.1 amps holding current eliminate heated levers
Indicator roses for classroom applications

Three spring cage sets support all Schlage plus eight competitive cylinder formats
Aesthetics

Nine lever and four rose designs
Ten available finishes
Perfectly suited to Schlage ALX Series grade 2 locks
Suites with Von Duprin exit devices and other Schlage products
Options

Vandlgard option lets the lever freely rotate up and down when locked protecting the chassis from excessive force on the lever to prevent vandalism - available on most keyed functions

SCH ND10S RHO 626 PASSAGE



* N D 1 0 S R H O 6 2 6 *

SRP \$450

SCH ND40S RHO 626 PRIVACY



* N D 4 0 S R H O 6 2 6 *

SRP \$518

SCH ND50PD RHO 626 OFFICE



* N D 5 0 P D R H O 6 2 6 *

SRP \$613



CYLINDRICAL LOCKSETS

SCH ND53PD RHO 626 ENTRY - C KWY



* N D 5 3 P D R H O 6 2 6 *

SRP \$613

SCH ND70PD RHO 626 CLASSROOM



* N D 7 0 P D R H O 6 2 6 *

SRP \$613

SCH ND80PD RHO 626 STOREROOM C-KWY



* N D 8 0 P D R H O 6 2 6 *

SRP \$613



STANLEY QCL SERIES

[MFG WEBSITE](#)

QCL100 SERIES

Heavy-Duty Cylindrical Locks
 STANLEY Commercial Hardware
 QCL100 Series delivers quality, performance and long-term durability at a great value. When you need a reliable lockset for high-traffic, heavy-abuse applications, the QCL100 Series offers flexible solutions with built-in security features to meet those demands. QCL100 locks are built to have an exceptionally reliable performance life, be easy to install and remain vandal resistant.

CYLINDRICAL LOCKSETS

STA QCL240 E PRIVACY 626 - Grade 2 Cylindrical Lever



* Q C L 2 4 0 E 6 2 6 *

SRP \$165

STA QCL230 E PASSAGE 613 - Grade 2 Cylindrical Lever



* Q C L 2 3 0 E 6 1 3 *

SRP \$166

STA QCL240 E PRIVACY 613 - Grade 2 Cylindrical Lever



* Q C L 2 4 0 E 6 1 3 *

SRP \$176

STA QCL250 E ENTRY 626 Schlage C x KD - Grade 2 Cylindrical Lever



* Q C L 2 5 0 E S C 6 2 6 *

SRP \$194

STA QCL251 E SFIC ENTRY 626 (Less Core) - Grade 2 Cylindrical Lever



* Q C L 2 5 1 E L C 6 2 6 *

SRP \$194

STA QCL260 E CLASSROOM 626 Schlage C x KD - Grade 2 Classroom Cylindrical Lever



* Q C L 2 6 0 E S C 6 2 6 *

SRP \$194

CYLINDRICAL LOCKSETS

STA QCL261 E SFIC CLASSROOM 626 (Less Core) - Grade 2 Cylindrical Lever



* Q C L 2 6 1 E L C 6 2 6 *

SRP \$194

STA QCL270 E STOREROOM 626 Schlage C x KD - Grade 2 Cylindrical Lever



* Q C L 2 7 0 E S C 6 2 6 *

SRP \$194

STA QCL271 E SFIC STOREROOM 626 (Less Core) - Grade 2 Cylindrical Lever



* Q C L 2 7 1 E L C 6 2 6 *

SRP \$194

STA QCL250 E ENT 613 S4 478 Schlage C x KD - Grade 2 Cylindrical Lever



* Q C L 2 5 0 E S C 6 1 3 *

SRP \$204

STA QCL260 E CLASSROOM 613 Schlage C x KD - Grade 2 Cylindrical Lever



* Q C L 2 6 0 E S C 6 1 3 *

SRP \$204

STA QCL270 E STOREROOM 613 Schlage C x KD - Grade 2 Cylindrical Lever



* Q C L 2 7 0 E S C 6 1 3 *

SRP \$204

CYLINDRICAL LOCKSETS



VIZILOK C5FA

[MFG WEBSITE](#)

2.6 ADA Compliant. Commercial Grade – Privacy Indicator Lock and Lever in Oil-Rubbed Bronze. Left-Handed (C5FA-L). NON-REVERSIBLE.

Product Features:
These locks are NON-REVERSIBLE. Seeking some rustic warmth or a boho vibe? The oil rubbed bronze provides the organic and earthy inspiration you need.

The unique, all-in-one design automatically displays “in use” or “vacant” indicators when locked or unlocked. With easy installation requiring only a screwdriver, this handsome handle and lock are available in either right or left-sided configuration.

VIZILOK C5FA-LH/LHR 613 (Privacy Indicator lock and lever, bronze)



* C 5 F A L 6 1 3 *

SRP \$129

VIZILOK C5FA-RH/RHR 613 (Privacy Indicator lock and lever, bronze)



* C 5 F A R 6 1 3 *

SRP \$129

CYLINDRICAL LOCKSETS



VIZILOK C5FN

[MFG WEBSITE](#)

2.4 ADA Compliant. Commercial Grade Privacy Indicator Lock and Lever in 646 Satin Nickel. Right-Handed (C5FN-R). NON-REVERSIBLE.

Product Features: The attractive satin nickel finish of this lock brings a note of beauty to its high-level functionality. ADA compliant, it can be locked and unlocked with a one-touch lever that guarantees any of your clients with a disability can operate it with ease.

A unique all-in-one design that automatically displays “vacant” or “in use” when locked or unlocked, it’s the ultimate in a user-friendly design. Vizilok installs easily – only a screwdriver is require

VIZILOK C5FN-RH/RHR 646 (Privacy Indicator lock, satin nickel)



* C 5 F N R 6 4 6 *

SRP \$125

CYLINDRICAL LOCKSETS



VIZILOK C5FS

[MFG WEBSITE](#)

2.1 ADA Compliant. Commercial Grade – Privacy Indicator Lock and Lever in 26D Satin Chrome. Right-Handed (C5FS-R). NON-REVERSIBLE

Product Features: This lock, in our most popular satin chrome finish, has a silvery feel that will complement any decor. ADA compliant, with a user-friendly one-touch lever that is easily operated by anyone with a physical challenge. Perfect for doctor’s offices, hospitals, rehabilitation facilities, and retirement communities.

The unique, all-in-one design automatically displays “in use” or “vacant” indicators when locked or unlocked. With easy installation requiring only a screwdriver, this handsome handle and lock are available in either right or left-sided configuration.

VIZILOK C5FS-LH/LHR 626 (Privacy Indicator lock, satin chrome)



* C 5 F S L 6 2 6 *

SRP \$125



CYLINDRICAL LOCKSETS

VIZILOK C5FS-RH/RHR 626 (Privacy Indicator lock, satin chrome)



* C 5 F S R 6 2 6 *

SRP \$125



YALE 4600LN Series

[MFG WEBSITE](#)

Yale® 4600LN cylindrical locks are the ideal choice for a wide variety of commercial applications where consistent quality, ease of use and installation are required at an economical price. The 4600LN Series is certified to ANSI/BHMA Grade 2 standards and is UL fire-listed for all functions, ensuring reliability and peace of mind.

ANSI/BHMA: A156.2, Series 4000 Grade 2

UL-cUL: UL-cUL fire rated up to 3 hours

Windstorm: 4600LN Certified (refer to local codes)

Mechanism: Heavy-gauge steel, zinc plated, dichromated

Backset: 2-3/4" standard; 2-3/8" to order

Latchbolt: 1/2" stainless steel throw

Guardbolt: Deadlocks latchbolt when door is closed; standard on all locking functions

Door Thickness: Adjustable from 1-3/8" to 1-3/4"

Fronts: Universal for both flat and

CYLINDRICAL LOCKSETS

beveled door edges
Cylinders: Brass, 6-pin, keyed-random cylinder with two keys furnished standard, conventional 7-pin not available. 6 and 7 pin SFIC available.

Reversibility: Non-handed
Strikes: 1-1/4" curved lip for 1-3/4" door standard; other lip lengths to special order; all reversible

Finishes: Available in 6 finishes
Warranty: 3-year mechanical

YAL AU-4655LN DUMMY 626 Grade 2 Dummy Cylindrical Lock



* A U 4 6 5 5 L C 6 2 6 *

SRP \$42

YAL AU-4601LN PASSAGE 613E x 497 ANSI x MCP234 Grade 2 Passage/Closet Latch Cylindrical Locks



* A U 4 6 0 1 L N 6 1 3 *

SRP \$112

YAL AU-4601LN PASSAGE 626 x 497 ANSI x MCP234 Grade 2 Passage/Closet Latch



* A U 4 6 0 1 L N 6 2 6 *

SRP \$112

YAL AU-4602LN PRIVACY 613E x 497 ANSI x MCP234 Grade 2 Privacy Cylindrical Locks



* A U 4 6 0 2 L N 6 1 3 *

SRP \$114

CYLINDRICAL LOCKSETS

YAL AU-4602LN PRIVACY 626 x 497 ANSI x MCP234 Grade 2 Privacy Cylindrical Locks



* A U 4 6 0 2 L N 6 2 6 *

SRP \$114

YAL AU-4604LN ENTRY LOCK 626 x 497 RH- 6PIN



* A U 4 6 0 4 L N 6 2 6 *

SRP \$126

YAL AU-4605LN STOREROOM 613E x 497 ANSI x MCP234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Storeroom/Closet Cylindrical Lock



* A U 4 6 0 5 L N 2 8 0 6 6 1 3 *

SRP \$126

YAL AU-4605LN STOREROOM 626 x 497 ANSI x MCP234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Storeroom/Closet Cylindrical Lock



* A U 4 6 0 5 L N 2 8 0 6 6 2 6 *

SRP \$126

YAL AU-4607LN ENTRY 613E x 497 ANSI x MCP234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Entry Cylindrical Lock



* A U 4 6 0 7 L N 2 8 0 6 6 1 3 *

SRP \$126

YAL AU-4607LN ENTRY 626 x 497 ANSI x MCP234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Entry Cylindrical Lock



* A U 4 6 0 7 L N 2 8 0 6 6 2 6 *

SRP \$126

CYLINDRICAL LOCKSETS

YAL AU-4608LN CLASSROOM 613E x 497
ANSI x MCD234 x 2806 6-Pin Schlage C
Keyed Random Grade 2 Classroom
Cylindrical Lock



SRP \$126

YAL AU-4608LN CLASSROOM 626 x 497
ANSI x MCD234 x 2806 6-Pin Schlage C
Keyed Random Grade 2 Classroom
Cylindrical Lock



SRP \$126

YAL BAU4605LN STOREROOM 626 x 497
ANSI x MCD234 x Less Core x SFIC Grade
2 Storeroom/Closet Cylindrical Lock



SRP \$126

YAL BAU4607LN ENTRY 626 x 497 ANSI x
MCD234 x Less Core x SFIC Grade 2 Entry
Cylindrical Lock



SRP \$126

YAL BAU4608LN CLASSROOM 626 x 497
ANSI x MCD234 x Less Core x SFIC Grade
2 Classroom Cylindrical Lock



SRP \$126

DEADBOLTS



BEST 8T SERIES

[MFG WEBSITE](#)

Used either as a standalone or in conjunction with cylindrical locks for extra security, the BEST T Series consists of two strong options:

8T: Grade 1 tubular deadbolt

7T: Grade 2 tubular deadbolt

Built with identical tubular assemblies, the 7T and the 8T both fit standard door preps. The 7T can be found in low-security areas, such as bathrooms or storage rooms. The 8T is often paired with a cylindrical lock in commercial office spaces, residential applications and other spaces where there is a greater need for security—and, more specifically, a deadbolt that is more resistant to brute force attack. The 8T is also available with lead line options, making it a good solution for radioactive doors (MRI, x-ray, etc.) in healthcare facilities.

BES 8T3-7-K-STK-626 L/C ENTRY DBOLT



SRP \$217

BES 8T3-7-S-STK-626 L/C CLRM DBOLT



SRP \$217

DEADBOLTS



SCHLAGE B660

[MFG WEBSITE](#)

B600, B700 and B800 Series Grade 1 Deadbolts. Schlage commercial grade 1 deadbolts are designed for security, durability and beauty. They feature a thick, anti-saw hardened steel bolt with anti-pry, anti-wrench and other protections to make it one tough lock. Schlage B Series deadbolts have long been the industry standard for tubular deadbolts. Built Schlage strong, B Series deadbolts are among the most secure and durable in the industry. The commercial Grade 1 deadbolts are also among the most beautiful with a sleek, broadly angled trim ring in a shallow, 7/8" depth offered in 11 finishes. A wide variety of functions and choice of cylinders including geographically exclusive Primus XP options makes them suitable for nearly any deadlock application need.

SCH B660P 626 C KQY SGL CYL D/B -
ADA COMPLIANT



SRP \$210

DEADBOLTS

SCH B660P 613 C KWY SGL CYL D/B C
KWY LOCKSET - ADA COMPLIANT



* B 6 6 0 6 1 3 *

SRP \$226



STANLEY QDB 200 SERIES

[MFG WEBSITE](#)

QDB200 SERIES
Standard Duty Deadbolts
STANLEY Commercial
Hardware's QDB200 Series
ANSI/BHMA Grade 2 deadbolts
have more built-in features for
attack resistance. In addition to
quality materials and
construction, we have
components to combat saw, drill
and wrench attacks. When you're
choosing a deadbolt for light
commercial applications, choose
the name more Americans trust
for their security.

STA QDB287 CLASSRM SFIC DBOLT 626
(Less Core) - Grade 2 Heavy Duty
Classroom Auxiliary Deadbolt



* Q D B 2 8 7 L C 6 2 6 *

SRP \$71

DEADBOLTS

STA QDB286 CLASSROOM DBOLT 626
Schlage C x KD - Grade 2 Heavy Duty
Classroom Auxiliary Deadbolt



* Q D B 2 8 6 S C 6 2 6 *

SRP \$93

STA QDB286 CLASSROOM DBOLT 613
Schlage C x KD - Grade 2 Heavy Duty
Classroom Auxiliary Deadbolt



* Q D B 2 8 6 S C 6 1 3 *

SRP \$99

MORTISE LOCKSETS



SARGENT 8200 SERIES

[MFG WEBSITE](#)

With its innovative, multi-functional lock body, the 8200 Series Mortise Lock, is considered the industry benchmark for all mortise locks on the market today. It is also the strongest and most durable—far surpassing ANSI/BHMA A156.13 Series 1000 Grade 1 standards in independently verified testing—for additional resistance against vandalism and unauthorized entry.

The electromechanical version of the 8200 Series Mortise Lock operates from 12 to 24VDC and can be used in stand-alone applications or as part of an integrated access control system. Featuring EcoFlex technology, the electromechanical version dramatically reduces power consumption by up to 96%, as certified by GreenCircle.

FEATURES

Patented design and construction
Available in 60 different
functions, including
electromechanical, security and
monitoring
UL-cUL listed for three hour fire
doors and windstorm applications
10-year warranty

BENEFITS



MORTISE LOCKSETS

Strength & Reliability: Far exceeds independently verified testing. Verified for over 14 million cycles
Ease of Install: Pre-assembled components make installation fool-proof
Customizable: A wide variety of functions, lever designs and finishes make this lock ideal for all types of applications

SAR TR 8215 LNJ TRIM 26D



* T R 8 2 1 5 L N J 2 6 D *

SRP \$348

SAR TR 8205 LNJ 26D



* T R 8 2 0 5 L N J 2 6 D *

SRP \$363

SAR TR 8265 LNJ TRIM 26D



* T R 8 2 6 5 L N J 2 6 D *

SRP \$417

SAR TR 8205 LNB 26D



* T R 8 2 0 5 L N B 2 6 D *

SRP \$512

SAR TR 8205 LNL 26D



* T R 8 2 0 5 L N L 2 6 D *

SRP \$512

MORTISE LOCKSETS

SAR TR 8205 LNB TRIM 10B



* T R 8 2 0 5 L N B 1 0 B *

SRP \$547

SAR 8215 LNJ PASSAGE 26D



* 8 2 1 5 L N J 2 6 D *

SRP \$713

SAR 8215 LNB PASSAGE 26D



* 8 2 1 5 L N B 2 6 D *

SRP \$862

SAR 8215 LNL PASSAGE 26D



* 8 2 1 5 L N L 2 6 D *

SRP \$862

SAR 8204 LNJ STOREROOM 26D



* 8 2 0 4 L N J 2 6 D *

SRP \$874

SAR 8205 LNJ OFFICE 26D



* 8 2 0 5 L N J 2 6 D *

SRP \$874

SAR 8237 LNJ CLASSROOM 26D



* 8 2 3 7 L N J 2 6 D *

SRP \$874

MORTISE LOCKSETS

SAR 8255 LNJ OFFICE 26D



* 8 2 5 5 L N J 2 6 D *

SRP \$874

SAR 8204 LNB STOREROOM 26D



* 8 2 0 4 L N B 2 6 D *

SRP \$1,023

SAR 8204 LNL STOREROOM 26D



* 8 2 0 4 L N L 2 6 D *

SRP \$1,023

SAR 8205 LNB OFFICE 26D



* 8 2 0 5 L N B 2 6 D *

SRP \$1,023

SAR 8205 LNL OFFICE 26D



* 8 2 0 5 L N L 2 6 D *

SRP \$1,023

SAR 8237 LNB CLASSROOM 26D



* 8 2 3 7 L N B 2 6 D *

SRP \$1,023

SAR 8237 LNL CLASSROOM 26D



* 8 2 3 7 L N L 2 6 D *

SRP \$1,023



MORTISE LOCKSETS

SAR 8255 LNB OFFICE 26D



SRP \$1,023

SAR 8255 LNL OFFICE 26D



SRP \$1,023

SAR 8204 LNB STOREROOM 10B



SRP \$1,058

SAR 8205 LNB OFFICE 10B



SRP \$1,058

SAR 8237 LNB CLASSROOM 10B



SRP \$1,058

SAR RX8271 LNJ 24V 26D FAIL SECURE



SRP \$1,586

SAR RX8271 LNB 24V 26D FAIL SECURE



SRP \$1,735

MORTISE LOCKSETS

SAR RX8271 LNL 24V 26D FAIL SECURE



SRP \$1,735



STANLEY BEST 45H

[MFG WEBSITE](#)

When you want the toughest mechanical security for your building, you want the 40H Series from BEST. With its advanced features, improved functionality and unique versatility, this durable mortise lock is reliable and flexible in any commercial or industrial setting.

Heavy duty in both protection and performance, the 40H is the ideal security solution when strength and dependability are required. Free egress and overall security are never compromised. The BEST interchangeable core allows for customized master keying and quick keying changes. And its tough steel frame accommodates heavy traffic, while standing strong against break-in attempts. All the while, the 40H remains a low maintenance product that is easy to reconfigure and easy to install.

MORTISE LOCKSETS

BES 45H-7-UNR-15-H-626-RH MORTISE LOCKSET, SFIC less core (can be used for Office, Storeroom, Passage, Exit or Classroom functions; no dead bolt)



SRP \$925

MORTISE LOCKSETS/Deadbolts



SARGENT 8200 SERIES

[MFG WEBSITE](#)

Ideally suited for high-traffic facilities like schools and hospitals, the 8200 Series deadbolt features a one-piece hardened stainless steel deadbolt and high-quality construction to provide maximum security, performance and durability.

MORTISE LOCKSETS/Deadbolts

SAR BP 8255 BODY 26D



SRP \$418

SAR RX8271-24V BODY ONLY 26D FAIL SECURE



SRP \$1,130

OTHER LOCKSETS



HAG 330M PRIVACY PKT DR LATCH
US26D



SRP \$14

SAR BP 8215 BODY 26D



SRP \$350

SAR BP 8265 BODY 26D



SRP \$393

SAR BP 8205 BODY 10B



SRP \$418

SAR BP 8205 BODY 26D



SRP \$418



PADLOCKS



GMS IC PDLCK 2" WIDE 2" SHKL



* I C P 2 0 0 2 *

SRP \$34