



## This Product Catalog Includes:

### **EXIT DEVICES/RIM**

Design Hardware 1000R Series  
Falcon 19 Series Push Pad Exit Device  
Precision Hardware APEX 2000 Series  
Sargent 3828 Series  
Sargent 5300 Series  
Sargent 8800 Series  
Stanley QED100 Series  
Stanley QED300 Series  
Von Duprin 98/99 Series  
Yale 2100 Series  
Yale 6000 Series

### **EXIT DEVICES/SVR**

Design Hardware 1000V Series  
Sargent 3727 Series  
Stanley QED100 Series  
Stanley QED300 Series  
Yale 2100 Series  
Yale 6000 Series

### **EXIT DEVICES/TRIM**

ARROW SR Trim  
Design Hardware KIL – Key in  
Design Hardware KIL – Key in L  
Design Hardware LE – Lever Esc  
FALCON Lever trim (912 Series)  
PDQ 6EW HEAVY DUTY TRIM  
Precision Hardware 1700 Series Exit Device Trim  
Precision Hardware V4908A Vandal Resistant Tri  
SARGENT 20 Series Trims

STANLEY QET100: HEAVY-DUTY EXIT TRIMS  
STANLEY QET300: STANDARD DUTY EXIT ES  
STANLEY QRT300: STANDARD DUTY EXIT RC  
VONDUPRIN 990 SERIES  
YALE 426F TRIM  
YALE 440F TRIM

### **EXIT DEVICES/MULLION**

Design Hardware Keyed Removabl

### **EXIT DEVICES/MULLION STABILIZER**

Design Hardware MS1 Mullion St

### **EXIT DEVICES/SHIM KIT**

Design Hardware 1000 Series Sh

### **EXIT DEVICES/WALL MOUNTING KIT**

Design Hardware Keyed Removabl

**EXIT DEVICES/RIM**



**Design Hardware 1000R Series**

[MFG WEBSITE](#)

ANSI: Meets & Exceeds ANSI A156.3 – Grade 1 Standards  
 UL Listing: UL Listed for Panic Exit Hardware  
 (Optional) Fire Rating: UL Listed for “A” Label 3 Hour Fire Doors (no dogging on rated devices)  
 ADA: Meets ADA requirements ANSI A117.1 with Lever Trim  
 Handing: Non Handed – Completely Reversible  
 Construction: Heavy Duty Extruded Anodized Aluminum Channel & Steel Chassis  
 Finishes: US3, US4 , US10B, US26 & US32D on Headcover, Pushbar & End Cap  
 Marine Grade: Marine Grade 316 Stainless Steel option available  
 Latchbolt: Deadlocking latchbolt with 5/8” projection  
 Strike: Roller Strike with 5/8” projection & 1/8” shim  
 Dogging: 5/32” Hex Key Dogging Standard on Panic Exit Hardware only  
 Cylinder Dogging: Cylinder Dogging Conversion Kits available for new or existing exit devices  
 Device Lengths: 33” for 3’-0” wide doors and 42” for 3-8” to 4’-0” wide doors  
 Min. Door Width: 33” & 42” devices can be cut down to fit on 2-8” wide door  
 Center Case Dim: 8” Height x 2 7/8” Wide x 2 13/16” Thick – 4 1/2” Minimum stile required  
 Mechanism Case Dim: 2 3/16” Height x 2 3/16” Wide

**EXIT DEVICES/RIM**

Projection: 3 3/8” Undogged – Pushbar Neutral & 2 13/16” Dogged – Pushbar Depressed  
 Fasteners: Wood, Machine & Self Tapping Machine Screws (F1000R includes thru bolts)  
 Trim & Accessories: ASA & latch fillers included, Exterior Trims, Shim Kits & other accessories available  
 Alarmed Exits: Exit Alarm Kit ALK-1000 available for new or existing devices  
 Electrification: ELR – Electric latch retraction, ED – Electric dogging, REX – Request to exit, LBM – Latch bolt monitoring available, See electrified section  
 Limited Lifetime Warranty

**DHW 1000R 33IN 32D**



\* 1 0 0 0 R . 3 3 . 3 2 D \*

SRP \$717

**DHW F1000R 33IN 32D FIRE RATED RIM EXIT DEVICE**



\* F 1 0 0 0 R . 3 3 . 3 2 D \*



SRP \$782

**DHW 1000R 42IN 32D**



\* 1 0 0 0 R . 4 2 . 3 2 D \*

SRP \$808

**DHW F1000R 42IN 32D FIRE RATED RIM EXIT DEVICE**



\* F 1 0 0 0 R . 4 2 . 3 2 D \*



SRP \$870

**EXIT DEVICES/RIM**



**Falcon 19 Series Push Pad Exit Device**


[MFG WEBSITE](#)

The 19 Series is a light-duty, narrow stile push pad exit device that is designed to provide dependable egress at a solid price.  
 The 19 Series narrow stile EXIT DEVICE provide value and dependability on light- to medium-duty door applications. They can be mounted on interior or exterior single or double doors, where traffic is not consistently heavy. Ideal for commercial, multi-family, office, retail and other medium-traffic installations, the 19 Series exit devices are an affordable and reliable choice. A certified ANSI/BHMA A156.3-2001 Grade 1 exit device, they are non-handed and covers a 161 door prep.  
 The 19 Series offer multiple functions and a full trim complement.

In accordance with California PROP65 -

WARNING  
 WARNING: Cancer & Reproductive Harm [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**FAL 19-R EO 36" SP28 PANIC x 570 STRIKE**



\* 1 9 R E O 3 6 S P 2 8 \*

SRP \$287

**FAL F-19-R EO 36" SP28 FIRE RATED PANIC x 570 STRIKE**

## EXIT DEVICES/RIM



SRP \$358



### Precision Hardware APEX 2000 Series

[MFG WEBSITE](#)

#### HEAVY-DUTY EXIT DEVICE

Thanks to its efficient engineering and durable hardware, the APEX 2000 represents the ultimate in safety, security and simplicity.

No other exit device offers the level of functionality and dependability as this Grade 1, heavy-duty exit device. Built with fewer components and in various door configurations, the APEX 2000 provides smoother operation with minimal need for maintenance. The APEX 2000's durable construction allows it to withstand high traffic and high use on a regular basis, making it particularly attractive for healthcare and education buildings. These combined benefits give it a longer life span and a lower overall cost of ownership.

#### PHI 2108 RIM EXIT LHR 630, Reversible



SRP \$1,630

## EXIT DEVICES/RIM

#### PHI 2108 RIM EXIT RHR 630, Reversible



SRP \$1,630

#### PHI FL2108 RATED RIM EXIT LHR 630, Reversible



SRP \$1,816

#### PHI FL2108 RATED RIM EXIT RHR 630, Reversible



SRP \$1,816



### Sargent 3828 Series

[MFG WEBSITE](#)

The 3828 Series supports both single and double door applications and is ideal for warehouses and stairwell fire exits.

#### BENEFITS

Steel endcaps and covers provided added durability  
Meets ANSI A156.3 Grade 1  
UL Listed

#### SAR 3828F RIM PANIC 36 PEB



SRP \$572

## EXIT DEVICES/RIM

#### SAR 3828F RIM PANIC 36 PEN



SRP \$572

#### SAR 3828G RIM PANIC 48 PEB



SRP \$572

#### SAR 3828G RIM PANIC 48 PEN



SRP \$572

#### SAR 12-3828F(36) PANIC PEN



SRP \$750



### Sargent 5300 Series

[MFG WEBSITE](#)

SARGENT's 5300 Series alarmed exit device is designed for areas requiring a standalone alarm on outward swinging doors. An integrated alarm in the push rail discourages the unauthorized use of emergency exit doors, with the alarm sounding immediately upon exit. The 5300 Series is ideal for rear exterior doors, doors leading to a rooftop, or anywhere security is a concern.

#### FEATURES

## EXIT DEVICES/RIM

When armed, alarm sounds immediately upon rail depression  
103 Db pulsating horn (at 8 ft)  
Flashing red LED provides visual violation indication  
Battery powered with low battery alert  
Meets ANSI A156.3 and A117.1

### SAR 5304-F EXIT ALARM PEN



SRP \$1,064



### Sargent 8800 Series

[MFG WEBSITE](#)

Designed for standard width stile applications on wood and metal doors, the 8800 Series features a rim bolt that combines quiet operation with solid security. Ideal for schools, offices, and hospitals—for both single door and double door applications with mullions.

### SAR 8888 F EXIT ONLY RIM 32D (33" - 36" wide door)



SRP \$1,720

## EXIT DEVICES/RIM



### Stanley QED100 Series

[MFG WEBSITE](#)

Heavy-Duty EXIT DEVICE  
STANLEY Commercial Hardware designed the QED100 Series exit devices to accommodate the widest range of uses. With plenty of device types, functions and options available, you can use the QED100 in more applications. A comprehensive offering of trim and finish options makes the QED100 Series compatible with other STANLEY Commercial Hardware components so you can design a visually cohesive, complete access control solution. Plus, we engineered our QED100 Series with features like thru bolt design and available options like hurricane compliance and fire rating so that you can trust the security, strength and durability of these exit devices no matter which trim, finish or configuration option you choose.

### STA QED111 36 RIM 626 Grade 1 Heavy Duty Hex Dogging Exit Device



SRP \$1,033

### STA QED111 48 RIM 626 Grade 1 Heavy Duty Hex Dogging Exit Device



SRP \$1,087

### STA QED113 36 RIM 626 FIRE RATED Grade 1 Heavy Duty Exit Device

## EXIT DEVICES/RIM



SRP \$1,103

### STA QED113 48 RIM 626 FIRE RATED Grade 1 Heavy Duty Exit Device



SRP \$1,157



### Stanley QED300 Series

[MFG WEBSITE](#)

Standard Duty EXIT DEVICE  
When your application calls for reliable quality and durability, STANLEY Commercial Hardware's QED300 Series of standard duty exit devices fills the need. For light commercial applications, including wood, steel, or aluminum doors, the QED300 line offers the same quality and robust construction you expect from STANLEY, at a great value. The QED300 Series fits a wide variety of applications and configuration requirements—giving you the flexibility you need to select features when you order.

### STA QED311 36 RIM 689 Grade 1 Standard Duty Hex Dog Exit Device



SRP \$310

### STA QED311 36 RIM 690 Grade 1 Standard Duty Hex Dog Exit Device

## EXIT DEVICES/RIM



\* Q E D 3 1 1 3 6 6 9 0 \*

SRP \$310

**STA QED311 48 RIM 689 Grade 1 Standard Duty Hex Dog Exit device**



\* Q E D 3 1 1 4 8 6 8 9 \*

SRP \$335

**STA QED311 48 RIM 690 Grade 1 Standard Duty Hex Dog Exit device**



\* Q E D 3 1 1 4 8 6 9 0 \*

SRP \$335

**STA QED313 36 RIM 689 FIRE RATED Grade 1 Standard Duty Exit Device**



\* Q E D 3 1 3 3 6 6 8 9 \*

SRP \$419

**STA QED313 48 RIM 689 FIRE RATED Grade 1 Standard Duty Exit Device**



\* Q E D 3 1 3 4 8 6 8 9 \*

SRP \$444



**Von Duprin 98/99 Series**

[MFG WEBSITE](#)

## EXIT DEVICES/RIM

The 98/99 Series devices are wide stile heavy-duty push pads. Architectural design elements differ between the 98 and the 99.

The 98 Series device has a smooth mechanism case, while the 99 Series has a grooved mechanism case. The 98/99 Series have all been certified to the highest industry standards and are used in schools, hospitals and government buildings.

**VON 99EO PANIC 36" US28**



\* 9 9 E 0 3 6 U S 2 8 \*

SRP \$1,272

**VON 99EO PANIC 36" 313AN**



\* 9 9 E 0 3 6 3 1 3 A N \*

SRP \$1,335

**VON 99EO PANIC 36" 26D**



\* 9 9 E 0 3 6 2 6 D \*

SRP \$1,439

**VON 99EO PANIC 48" 26D**



\* 9 9 E 0 4 8 2 6 D \*

SRP \$1,457

**VON 99EOF 36" 26D FIRE RATED EXIT ONLY DEVICE**



\* 9 9 E 0 F 3 6 2 6 D \*

SRP \$1,601

## EXIT DEVICES/RIM



### Yale 2100 Series

[MFG WEBSITE](#)

**2100 Series Economy EXIT DEVICE**  
Providing a higher standard of ANSI/BHMA Grade 1 performance, the 2100 Series Exit Device is the right choice for meeting the rigors of everyday use. This economy exit device is now available with the Yale SquareBolt® rim latch for the toughest applications. In addition to traditional painted finishes, the 2100 Series is available in an attractive satin stainless steel finish for use where aesthetics are also important.

#### Features

Available in rim, SquareBolt®, surface vertical rod and concealed vertical rod configurations

Certified ANSI/BHMA A156.3, Grade 1 UL/cUL Listed for use on fire doors having a rating up to and including 3-hours unless otherwise noted

Featuring unique Free Wheeling lever mechanism that allows the lever to rotate freely even when securely locked, increasing security and preventing vandalism

Windstorm certified (refer to local codes). Specify suffix "WS" to 2100(F) devices.

ISO 9001: Designed and manufactured under a certified ISO 9001 quality system

Warranty: 2100 exit devices are protected by a three year warranty.

Rose trims carry a two-year warranty



**EXIT DEVICES/RIM**

and escutcheon trims carry a five-year warranty. Available with MicroShield® antimicrobial coating, a revolutionary hardware finish coating which inhibits the growth of bacteria, algae, yeast fungus, mold and mildew

**YAL 2100-36 EO 630 Rim Exit Device Grade 1**



SRP \$689

**YAL 2100-48 EO 630 Rim Exit Device Grade 1**



SRP \$742

**YAL 2100F-36 EO 630 Fire Rated Rim Exit Device Grade 1**



SRP \$836



**Yale 6000 Series**

[MFG WEBSITE](#)

6000 Series Commercial EXIT DEVICE With its robust, modern design and smooth, quiet operation, the Yale 6000 Series exit device provides an attractive solution that can withstand the rigors of multi-family, retail, office and other commercial exits. The stylish, clean lines of the wide and narrow stile 6000 exit device are visually appealing and

**EXIT DEVICES/RIM**

blend with any décor. With a range of mechanical and electromechanical functions available, the 6000 can be used in many types of commercial facilities, including office buildings, retail environments, and mixed-use facilities.

**Features**

ANSI/BHMA A156.3 Grade 1 Certified Available as rim, mortise, SquareBolt®, surface vertical rod and concealed vertical rod in wide or narrow stile configurations Highly durable aluminum rail design with architecturally finished touch bar in 5 finishes Heavy duty, angled end cap design protects rail, eliminates catch points and reduces damage Available in 13 mechanical functions and 11 electromechanical functions Available with standard or Reflections® decorative levers Complete offering of mechanical and electromechanical solutions Available with Microshield® antimicrobial coating Warranty: 10 years

**YAL 6100-36 x EO x 757F x 630 Grade 1 Panic-Rated Rim Exit Device**



SRP \$991

**YAL 6100-48 x EO x 757F x 630 Grade 1 Panic-Rated Rim Exit Device**



SRP \$1,044

**YAL 6100F-36 x EO x 757F x 630 Grade 1 3-Hour Fire-Rated Rim Exit Device**

**EXIT DEVICES/RIM**



SRP \$1,168

## EXIT DEVICES/SVR



### Design Hardware 1000V Series

[MFG WEBSITE](https://designhardware.net/products/exit-devices/1000v-surface-vertical-rod-exit-devices/)  
<https://designhardware.net/products/exit-devices/1000v-surface-vertical-rod-exit-devices/>

1000V Surface Vertical Rod EXIT DEVICE  
 ANSI: Meets & Exceeds ANSI A156.3 – Grade 1 Standards

UL Listings: Panic Exit, 3 Hr Fire Doors to 8'-0" x 10'-0" & LBR up to 8'-0" x 8'-0"

ADA: Meets ADA requirements ANSI A117.1 with Lever Trim

Handing: Easily Re-handed in the field – Shipped as RHR

Construction: Heavy Duty Extruded Anodized Aluminum Channel & Steel Chassis

Finishes: US3, US4, US10B, US26, US32D on Headcover, Pushbar, Endcap & Latches

Marine Grade: Marine Grade 316 Stainless Steel option available

Top Latch: U Shaped Top Latch for Secure Engagement with strike (not electric strike compatible)

Bottom Latch: Drop Bolt Style Bottom Latch Secures into flat strike & hole in the floor

Dogging: 5/32" Hex Key Dogging Standard on Panic Exit Hardware

Cylinder Dogging: Cylinder Dogging Kits available for new or existing EXIT DEVICE

Device Lengths: 33" for 3'-0" wide doors and 42" for 3'-8" to 4'-0" wide doors

Min. Door Width: 33" & 42" devices can be cut down to fit on minimum door width of 2'-8"

Door Heights: 7'-0" Standard –

Extended Top Rods available for up to

## EXIT DEVICES/SVR

10'-0" tall doors

Center Case Dim: 8" Height x 2 7/8"

Wide x 2 13/16" Thick – 4 1/2"

Minimum stile required

Mechanism Case Dim.: 2 3/16" Height x

2 3/16" Wide

Projection: 3 3/8" Undogged – Pushbar

Neutral & 2 13/16" Dogged – Pushbar

Depressed

Fasteners: Wood, Machine & Self

Tapping Machine Screws (F1000V

includes thru bolts)

Trim & Accessories: Latch filler included, Exterior Trims, Shim Kits other accessories available

Electrified Options: Electric latch retraction, Electric Dogging, Request to exit, Latch bolt monitoring

Under Cut: 1/4" door under cut recommended for 1/4" threshold or no threshold openings

Limited Lifetime Warranty

### DHW 1000V 33" EXIT DEV US32D



\* 1 0 0 0 V 3 3 U S 3 2 D \*

SRP \$972

### DHW F1000V 33IN 32D FIRE RATED SVR EXIT DEVICE



\* F 1 0 0 0 V . 3 3 . 3 2 D \*



SRP \$1,028

### DHW F1000V 42IN 32D FIRE RATED SVR EXIT DEVICE



\* F 1 0 0 0 V . 4 2 . 3 2 D \*



SRP \$1,144

## EXIT DEVICES/SVR



### Sargent 3727 Series

[MFG WEBSITE](#)

The 3727 Series features two point latching via vertical rods mounted to the door face. Adjustable via the center case, it is ideal for warehouses and stairwell fire exits.

#### BENEFITS

Steel endcaps and covers provided added durability  
 Meets ANSI A156.3 Grade 1  
 UL Listed


### SAR 3727F SVR PANIC 36"X84" PEB



\* 3 7 2 7 F P E B \*



SRP \$999



### Stanley QED100 Series

[MFG WEBSITE](#)

Heavy-Duty EXIT DEVICE  
 STANLEY Commercial Hardware designed the QED100 Series exit devices to accommodate the widest range of uses. With plenty of device types, functions and options available,



### EXIT DEVICES/SVR

you can use the QED100 in more applications. A comprehensive offering of trim and finish options makes the QED100 Series compatible with other STANLEY Commercial Hardware components so you can design a visually cohesive, complete access control solution. Plus, we engineered our QED100 Series with features like thru bolt design and available options like hurricane compliance and fire rating so that you can trust the security, strength and durability of these exit devices no matter which trim, finish or configuration option you choose.

#### STA QED114 SVR 626 Grade 1 Heavy Duty Hex Dog Exit Device




VR SRP \$1,357

#### STA QED116 SVR 626 FIRE RATED Grade 1 Heavy Duty Exit Device



VR SRP \$1,426



#### Stanley QED300 Series

[MFG WEBSITE](#)

### EXIT DEVICES/SVR

**Standard Duty EXIT DEVICE**  
When your application calls for reliable quality and durability, STANLEY Commercial Hardware's QED300 Series of standard duty exit devices fills the need. For light commercial applications, including wood, steel, or aluminum doors, the QED300 line offers the same quality and robust construction you expect from STANLEY, at a great value. The QED300 Series fits a wide variety of applications and configuration requirements—giving you the flexibility you need to select features when you order.

#### STA QED314 SVR 689 Grade 1 Standard Duty Hex Dog Exit Device



VR SRP \$509

#### STA QED316 SVR 689 FIRE RATED Grade 1 Standard Duty Exit Device



VR SRP \$647

#### STA QED316 4070 SVR 689 FIRE RATED Grade 1 Standard Duty Exit Device



VR SRP \$672



#### Yale 2100 Series

[MFG WEBSITE](#)

### EXIT DEVICES/SVR

**2100 Series Economy EXIT DEVICE**  
Providing a higher standard of ANSI/BHMA Grade 1 performance, the 2100 Series Exit Device is the right choice for meeting the rigors of everyday use. This economy exit device is now available with the Yale SquareBolt® rim latch for the toughest applications. In addition to traditional painted finishes, the 2100 Series is available in an attractive satin stainless steel finish for use where aesthetics are also important.

#### Features

Available in rim, SquareBolt®, surface vertical rod and concealed vertical rod configurations

Certified ANSI/BHMA A156.3, Grade 1 UL/cUL Listed for use on fire doors having a rating up to and including 3-hours unless otherwise noted

Featuring unique Free Wheeling lever mechanism that allows the lever to rotate freely even when securely locked, increasing security and preventing vandalism

Windstorm certified (refer to local codes). Specify suffix "WS" to 2100(F) devices.

ISO 9001: Designed and manufactured under a certified ISO 9001 quality system

Warranty: 2100 exit devices are protected by a three year warranty. Rose trims carry a two-year warranty and escutcheon trims carry a five-year warranty.

Available with MicroShield® antimicrobial coating, a revolutionary hardware finish coating which inhibits the growth of bacteria, algae, yeast fungus, mold and mildew

#### YAL 2110-36 EO 630 SVR Exit Device Grade 1



## EXIT DEVICES/SVR



\* 2 1 1 0 3 6 E 0 6 3 0 \*

VR

SRP \$947

**YAL 2110F-36 EO 630 SVR Fire Rated Exit Device Grade 1 (can only be used on openings up to 8 feet high, no higher)**




\* 2 1 1 0 F 3 6 E 0 6 3 0 \*



VR

SRP \$1,094



### Yale 6000 Series

[MFG WEBSITE](#)

**6000 Series Commercial EXIT DEVICE**  
With its robust, modern design and smooth, quiet operation, the Yale 6000 Series exit device provides an attractive solution that can withstand the rigors of multi-family, retail, office and other commercial exits. The stylish, clean lines of the wide and narrow stile 6000 exit device are visually appealing and blend with any décor. With a range of mechanical and electromechanical functions available, the 6000 can be used in many types of commercial facilities, including office buildings, retail environments, and mixed-use facilities.

#### Features

ANSI/BHMA A156.3 Grade 1 Certified  
Available as rim, mortise, SquareBolt®, surface vertical rod and concealed vertical rod in wide or narrow stile configurations

## EXIT DEVICES/SVR

Highly durable aluminum rail design with architecturally finished touch bar in 5 finishes

Heavy duty, angled end cap design protects rail, eliminates catch points and reduces damage

Available in 13 mechanical functions and 11 electromechanical functions  
Available with standard or Reflections® decorative levers

Complete offering of mechanical and electromechanical solutions

Available with Microshield® antimicrobial coating

Warranty: 10 years

**YAL 6170-36-7 x EO x 791 x 790 x 630 Grade 1 Panic Rated SVR Exit Device**



\* 6 1 7 0 3 6 7 F T 6 3 0 \*

VR

SRP \$1,363

**YAL 6170F-36 x EO x 791 x 790 x 630 Grade 1 3-Hour Fire Rated SVR Exit Device**



\* 6 1 7 0 F 3 6 E 0 6 3 0 \*



VR

SRP \$1,540

## EXIT DEVICES/TRIM

Lever Trim:



### ARROW SR Trim

[MFG WEBSITE](#)

CLASSROOM LEVER TRIM

4-3/4" X 2-9/16" W 3-11/32" ROSE

LEVER: S CAST

ROSE: R WROUGHT

ADA COMPLIANT

**ARR SRX87 I/C C/ROOM TRIM 26D (FORMERLY SR17)**



\* S R 1 7 - I C - 2 6 D \*

SRP \$111



### Design Hardware KIL – Key in

[MFG WEBSITE](#)

ANSI A156.3, Grade 1

Meets ADA requirements ANSI A117.1

Steel, Zinc Dichromated Chassis with

Secure Thru Bolted design

Standard Duty lever trim option for

1000R & 2000R (Not recommended for

SVR devices, Heavy Duty LE trim

recommended)

Installs in 2 1/8" 161 door prep

Actuator: Cross shaped stainless steel

5" Solid Zinc Diecast lever – 2 7/8" total

projection



**EXIT DEVICES/TRIM**

Lever Designs: Flat (standard, shown above) Curved, Half Curved, S-A & S-B  
3 3/8" Wrought Brass Roses  
Non-Handed Completely Reversible  
Door Thickness: 1 3/4" standard – available for 2" thick doors, specify when ordering  
Functions: Passage, Storeroom & Entry  
6 Pin Brass, C Kwy, with 2 Keys std., Prepared for Small format IC core (less core)  
11 Popular competitor keyways available with replacement cylinders  
Finishes: US3, US4 , US10B, US26, US26D  
Limited Lifetime Warranty

**DHW KIL F EXIT TRIM 26D**



SRP \$120



**Design Hardware KIL – Key in L**

[MFG WEBSITE](#)

ANSI A156.3, Grade 1  
Meets ADA requirements ANSI A117.1  
Steel, Zinc Dichromated Chassis with Secure Thru Bolted design  
Standard Duty lever trim option for 1000R & 2000R (Not recommended for SVR devices, Heavy Duty LE trim recommended)  
Installs in 2 1/8" 161 door prep  
Actuator: Cross shaped stainless steel  
5" Solid Zinc Diecast lever – 2 7/8" total projection  
Lever Designs: Flat (standard, shown

**EXIT DEVICES/TRIM**

above) Curved, Half Curved, S-A & S-B  
3 3/8" Wrought Brass Roses  
Non-Handed Completely Reversible  
Door Thickness: 1 3/4" standard – available for 2" thick doors, specify when ordering  
Functions: Passage, Storeroom & Entry  
6 Pin Brass, C Kwy, with 2 Keys std., Prepared for Small format IC core (less core)  
11 Popular competitor keyways available with replacement cylinders  
Finishes: US3, US4 , US10B, US26, US26D  
Limited Lifetime Warranty

**DHW KIL IC F EXIT TRIM 26D**



SRP \$120



**Design Hardware LE – Lever Esc**

[MFG WEBSITE](#)

ANSI A156.3, Grade 1  
Meets ADA requirements ANSI A117.1  
Steel, Zinc Dichromated Chassis – Stainless Steel Exterior Housing  
Heavy Duty trim option for use with all 1000 & 2000 series exit devices  
Thru bolted design thru bolts to head of exit device  
5/16" Square, Steel – Machined & Heat Treated  
5" Solid Stainless Steel lever – 2 7/8" total projection  
Lever Designs: Flat (standard, shown

**EXIT DEVICES/TRIM**

above) Curved lever available in US32D only  
Escutcheon: 3" Wide x 9" Height x 3/4" Projection – Will cover 161 door prep  
Non-Handed, Field selected at the time of installation  
Door Thickness: 1 3/4" standard- Thick door kits available for 2" thick doors  
Functions: 02DT Dummy, 08 Entry (convertible to 03NL – Night latch), 08A Passage  
Fasteners: Includes thru bolt posts and 1/4"-20 machine screws for installation  
Cylinder: 1 1/8" Mortise cylinder with std. cam (included) – 6 Pin Brass, C Kwy, with 2 Keys  
Optional Cylinder: 1 3/8" Mortise cylinder housing for 6 or 7 pin Small format IC core (less core)  
Optional Keyways: 11 Popular competitor keyways available with replacement cylinders  
Finishes: US3, US4 , US10B, US26, US32D (Type 304SS standard) (Marine Grade 316SS option)  
Accessories: 1/8" Cylinder collar spacer rings – (2 are supplied with IC housings)  
Electrified Options: 12 or 24 Volt (AC/DC) Fail Safe (Electrically Locked), Fail Safe (Electrically Unlocked).See electrified section  
Limited Lifetime Warranty

**DHW LE-08 TRIM 32D**



SRP \$194

**DHW LE-08A-2 TRIM 32D**



SRP \$194

## EXIT DEVICES/TRIM



### FALCON Lever trim (912 Series)

[MFG WEBSITE](#)

Standard escutcheon trim with lever design.

- Lever (L): key locks and unlocks the trim
- Night latch (L-NL): key retracts latch but does not unlock trim
- Dummy trim (L-DT): no cylinder, acts as a pull
- Blank escutcheon (L-BE): no cylinder or lever

### FAL 912L DANE SP28 LHR ESC TRIM (Less Mortise Cylinder)



SRP \$154

### FAL 912L DANE SP28 RHR ESC TRIM (Less Mortise Cylinder)



SRP \$154



### PDQ 6EW HEAVY DUTY TRIM

[MFG WEBSITE](#)

## EXIT DEVICES/TRIM

Designed for high use and abuse Grade 1 applications.  
Compatible with other manufacturers exit devices using simple adapter kits.  
Non-handed, field reversible.  
Heavy duty cast alloy (not formed steel) escutcheon through-bolts directly into exit device chassis. Built to last.  
Industry leading 28-degree lever rotation that makes the door quicker and easier to open.  
Field convertible functions with a simple kit; Classroom to Storeroom, Storeroom to Classroom.  
Assembled in the USA.

### PDQ 6EWS-STP-PHL-626-SCC-KD pdqSMART STAND-ALONE SMART TOUCH PIN LOCK HEAVY DUTY EXIT DEVICE TRIM



SRP \$1,005

### PDQ 6EWS-XLS-PHL-626-SCC-KD pdqSMART CLOUD HOSTED NETWORKED ACCESS CONTROL LOCK HEAVY DUTY EXIT DEVICE TRIM



SRP \$1,085



### Precision Hardware 1700 Series Exit Device Trim

[MFG WEBSITE](#)

## EXIT DEVICES/TRIM

Field reversibility for easy installation  
Variety of finishes and trim styles  
Vandal Resistant trims (APEX and Olympian Series):  
Extra strength "overload" springs and cast stainless steel internal components to withstand abuse  
Lever automatically returns to the home position; no resetting required  
Available functions: dummy, night latch, classroom and passage  
Recessed cylinder for increased security and aesthetics

### PHI 3R01702A x 630 DUMMY PULL TRIM



SRP \$293

### PHI 3R01703A x 630 KEYED PULL TRIM (less Rim Cylinder)



SRP \$293



### Precision Hardware V4908A Vandal Resistant Trim

[MFG WEBSITE](#)

A heavy duty lever trim designed to withstand abuse and vandalism.  
Composed of extra strength shock-absorbing "overload" springs and heavy duty investment cast stainless steel internal components. Lever returns to the

## EXIT DEVICES/TRIM

"home" position eliminating the need to reset the lever.

### PHI V4908A LEVER TRIM LHR 630 (LESS RIM CYL)



\* 3 R O V 4 9 0 8 A L H R 6 3 0 \*

SRP \$641

### PHI V4908A LEVER TRIM RHR 630 (LESS RIM CYL)



\* 3 R O V 4 9 0 8 A R H R 6 3 0 \*

SRP \$641



## SARGENT 20 Series Trims

### [MFG WEBSITE](#)

28 Series Lever & Rose Trim for 2727/2828 Series Exit Devices  
ADA COMPLIANT

Lever & Rose Trim

- For 1-3/4" (44mm) doors only
- Functions available for 04, 06, 10, 13 and 15
- Not handed
- Finishes: 03, 04, 10, 10B, 10BE, 20D & 26D
- Lever designs available: "L", "B", "P"

To order specify 28 followed by the function

Trim will not retrofit on devices purchased

prior to 2000. Consult factory.

(K, N, D, C or L), the rose (L), the lever (L, B or P) and finish

Example: 28-K-LL x 26D

## EXIT DEVICES/TRIM

28-C-LL  
Entrance  
Key in lever  
locks or unlocks  
lever.  
13 Function  
(ANSI 08)

### SAR 28C LL PANIC TRIM 10B CLASSROOM



\* 2 8 C L L 1 0 B \*

SRP \$370

### SAR 28C LL PANIC TRIM 26D CLASSROOM



\* 2 8 C L L 2 6 D \*

SRP \$370

### SAR 28K LL PANIC TRIM 10B - STOREROOM



\* 2 8 K L L 1 0 B \*

SRP \$370

### SAR 28K LL PANIC TRIM 26D - STOREROOM



\* 2 8 K L L 2 6 D \*

SRP \$370

### SAR 28L LL PANIC TRIM 26D PASSAGE



\* 2 8 L L L 2 6 D \*

SRP \$370

## EXIT DEVICES/TRIM



## STANLEY QET100: HEAVY-DUTY EXIT TRIMS

### [MFG WEBSITE](#)

Exit Device Trims

Complete your STANLEY Commercial Hardware exit device solution with coordinated trims designed to work with QED100, QED200 and QED300 exit devices. Our trim collections offer even more customization options to fit a wider range of applications. And we don't just match aesthetics—our trims provide the same quality and reliability you expect from STANLEY Commercial Hardware.

### STA QET130 E PASSAGE 626 Grade 1 Heavy Duty Escutcheon Lever Trim



\* Q E T 1 3 0 E 6 2 6 \*

SRP \$452

### STA QET160 E CLASSROOM 626 Schlage C x KD Grade1 Heavy Duty Keyed Escutcheon Lever Trim (Mortise Cylinder Included)



\* Q E T 1 6 0 E S C 6 2 6 \*

SRP \$510

### STA QET170 E STOREROOM 626 Schlage C x KD Grade 1 Heavy Duty Escutcheon Trim (Rim Cylinder Included)



\* Q E T 1 7 0 E S C 6 2 6 \*

SRP \$510

## EXIT DEVICES/TRIM



### STANLEY QET300: STANDARD DUTY EXIT ESCUTCHEON TRIMS

[MFG WEBSITE](#)

#### Exit Device Trims

Complete your STANLEY Commercial Hardware exit device solution with coordinated trims designed to work with QED100, QED200 and QED300 exit devices. Our trim collections offer even more customization options to fit a wider range of applications. And we don't just match aesthetics—our trims provide the same quality and reliability you expect from STANLEY Commercial Hardware.

#### STA QET330 E PASSAGE 689 Grade 1 Standard Duty Escutcheon Lever Exit Trim



SRP \$202

#### STA QET360 E CLASSROOM 689 Schlage C x KD Grade 1 Standard Duty Keyed Escutcheon Lever Exit Trim (with mortise cylinder)



SRP \$262

#### STA QET370 E STOREROOM 689 Schlage C x KD Grade 1 Standard Duty Keyed Escutcheon Lever Exit Trim (with mortise cylinder)



SRP \$262

## EXIT DEVICES/TRIM



### STANLEY QRT300: STANDARD DUTY EXIT ROSE TRIMS

[MFG WEBSITE](#)

#### Exit Device Trims

Complete your STANLEY Commercial Hardware exit device solution with coordinated trims designed to work with QED100, QED200 and QED300 exit devices. Our trim collections offer even more customization options to fit a wider range of applications. And we don't just match aesthetics—our trims provide the same quality and reliability you expect from STANLEY Commercial Hardware.

#### STA QRT330 E PASSAGE 626 TRIM Grade 1 Standard Duty Lever Round Rose Exit Trim



SRP \$168

#### STA QRT360 E CLASSROOM 690 TRIM Schlage C x KD Grade 1 Standard Duty Keyed Lever Round Rose Exit Trim



SRP \$176

#### STA QRT370E STOREROOM 690 Schlage C x KD Grade 1 Standard Duty Lever Round Rose Exit Trim



SRP \$176

## EXIT DEVICES/TRIM

#### STA QRT361E SFIC CLASSROOM 626 (Less Core) Grade 1 Standard Duty Keyed Lever Round Rose Exit Trims



SRP \$187

#### STA QRT371E SFIC STOREROOM 626 (Less Core) Grade 1 Standard Duty Keyed Lever Round Rose Exit Trims



SRP \$187

#### STA QRT360 E CLASSROOM 626 TRIM Schlage C x KD Grade 1 Standard Duty Keyed Lever Round Rose Exit Trim



SRP \$211

#### STA QRT370E STOREROOM 626 Schlage C x KD Grade 1 Standard Duty Lever Round Rose Exit Trim



SRP \$211



### VONDUPRIN 990 SERIES

[MFG WEBSITE](#)

Night latch  
Key retracts Latch Bolt  
Escutcheon plate size 3" x 14 3/16" x 3/32"  
Projection: 2"  
Rim Cylinder  
1 1/4" Mortise Locking Device



EXIT DEVICES/TRIM

VON 990NL R&V TRIM 26D (less rim cylinder)



\* 9 9 0 N L 2 6 D \*

SRP \$281

VON 990NL R&V TRIM 10B (less rim cylinder)



\* 9 9 0 N L 1 0 B \*

SRP \$289

VON 996L R&V LHR TRIM 26D (rim cylinder sold separately)



\* 9 9 6 L R L H R \*

SRP \$607

VON 996L R&V RHR TRIM 26D (rim cylinder sold separately)



\* 9 9 6 L R R H R \*

SRP \$607

VON 996L R&V LHR TRIM 10B (rim cylinder sold separately)



\* 9 9 6 L 1 0 B L H R \*

SRP \$623

VON 996L R&V RHR TRIM 10B (rim cylinder sold separately)



\* 9 9 6 L 1 0 B R H R \*

SRP \$623

EXIT DEVICES/TRIM



YALE 426F TRIM

[MFG WEBSITE](#)

YAL AU426F CLRM/STRM ESC TRIM 630 - less Rim Cylinder

YAL AU426F CLRM/STRM ESC TRIM 630 - less Rim Cylinder



\* A U 4 2 6 F L C 6 3 0 \*

SRP \$305



YALE 440F TRIM

[MFG WEBSITE](#)

YAL AU440F SERIES TRIM

YAL AU-448F PASSAGE TRIM 626 Exit Device Rose Trim



\* A U 4 4 8 F 6 2 6 \*

SRP \$155

YAL AU441F STOREROOM TRIM 613E x 2802 6-Pin Schlage C Keyed Random Key-In-Lever Nightlatch Rose Trim



\* A U 4 4 1 F 2 8 0 2 6 1 3 \*

SRP \$188

EXIT DEVICES/TRIM

YAL AU441F STOREROOM TRIM 626 x 2802 6-Pin Schlage C Keyed Random Key-In-Lever Nightlatch Rose Trim



\* A U 4 4 1 F 2 8 0 2 6 2 6 \*

SRP \$188

YAL AU446F CLASSROOM TRIM 613E x 2802 6-Pin Schlage C Keyed Random Key-In-Lever Classroom Exit Device Rose Trim



\* A U 4 4 6 F 2 8 0 2 6 1 3 \*

SRP \$188

YAL AU446F CLASSROOM TRIM 626 x 2802 6-Pin Schlage C Keyed Random Key-In-Lever Classroom Exit Device Rose Trim



\* A U 4 4 6 F 2 8 0 2 6 2 6 \*

SRP \$188

YAL BAU446F CLASSROOM TRIM 626 SFIC Key-In-Lever Classroom Exit Device Rose Trim Less Core



\* B A U 4 4 6 F L C 6 2 6 \*

SRP \$188

**EXIT DEVICES/MULLION**



**Design Hardware Keyed Removabl**

[MFG WEBSITE](#)

Application: Used to adapt a double door into two single doors  
 Operation: Turning key in mortise cylinder provides fast and easy means of removing mullion from opening  
 Features  
 -Heavy Duty Steel construction  
 -Easy removal when full width of an opening is required  
 -Self locking when reinstalled without needing the key  
 -Flush side mounted cylinder is not visible from front  
 -Includes 1/8" adjustment shim for fine tuning fitment  
 -Increases Security & Minimizes door sag and warpage  
 Mullion Tube: 2" Wide x 3" Depth x 1/8" Steel  
 Top/Btm Retainers are made of Investment Cast Steel  
 Headcap: Steel with zinc dichromated internal parts  
 Lengths: 7', 8' & 10' lengths – can be cut to length in field  
 Cylinder: 1 1/8" Mortise Cylinder with std. cam (included) – 6 Pin Brass, C Kwy, with 2 Keys  
 Optional Cylinder:  
 1 3/8" Mortise cylinder housing for 6 or 7 pin Small format IC core (less core)  
 Popular competitor keyways available with replacement cylinders (extra charge applies)  
 Finish: AL Painted (Prime Coat)

**EXIT DEVICES/MULLION**

Accessories:Stabilizers, Wall mounted storage kits, Filler blocks & Angle brackets  
 Limited Lifetime Warranty

**DHW KRM 7' AL KEY REMOVABLE MULLION (Conventional Mortise Cylinder Included)**



SRP \$530

**DHW KRM 8' AL KEY REMOVABLE MULLION (Conventional Mortise Cylinder Included)**



SRP \$557

**DHW KRM 10' AL KEY REMOVABLE MULLION (Conventional Mortise Cylinder Included)**



SRP \$651

**EXIT DEVICES/MULLION STABILIZER**



**Design Hardware MS1 Mullion St**

[MFG WEBSITE](#)

Application: Used to adapt a double door into two single doors  
 Operation: Turning key in mortise cylinder provides fast and easy means of removing mullion from opening  
 Features  
 -Heavy Duty Steel construction  
 -Easy removal when full width of an opening is required  
 -Self locking when reinstalled without needing the key  
 -Flush side mounted cylinder is not visible from front  
 -Includes 1/8" adjustment shim for fine tuning fitment  
 -Increases Security & Minimizes door sag and warpage  
 Mullion Tube: 2" Wide x 3" Depth x 1/8" Steel  
 Top/Btm Retainers are made of Investment Cast Steel  
 Headcap: Steel with zinc dichromated internal parts  
 Lengths: 7', 8' & 10' lengths – can be cut to length in field  
 Cylinder: 1 1/8" Mortise Cylinder with std. cam (included) – 6 Pin Brass, C Kwy, with 2 Keys  
 Optional Cylinder:  
 1 3/8" Mortise cylinder housing for 6 or 7 pin Small format IC core (less core)  
 Popular competitor keyways available with replacement cylinders (extra charge applies)  
 Finish: AL Painted (Prime Coat)  
 Accessories:Stabilizers, Wall mounted



### EXIT DEVICES/MULLION STABILIZER

storage kits, Filler blocks & Angle brackets  
Limited Lifetime Warranty

#### DHW MS1 AL MULLION STABILIZER



SRP \$65

### EXIT DEVICES/SHIM KIT



#### Design Hardware 1000 Series Sh

##### [MFG WEBSITE](#)

Base Material: Zinc Plated Steel  
Dimensions: 1/8" Thick, the kits can be stacked for thicker shimming  
Application: Kits for 1000 series rim or surface vertical rod exit devices, panic or fire rated  
Used for doors with light kits that prevent the device from mounting flush  
Non-Handed  
Included Parts:  
Rim kit includes shim for head and end cap.  
SVR kit includes shim for head, end cap, latches and rod guides  
Fasteners: Extended mounting screws included  
Finishes: Silver zinc plated for US32D and US26, Dark Bronze for US10B & Gold for US3 and US4  
Limited Lifetime Warranty

#### DHW SHIM KIT FOR 1000R 32D



SRP \$18

#### DHW SHIM KIT FOR 1000V 32D



SRP \$36

### EXIT DEVICES/WALL MOUNTING KIT



#### Design Hardware Keyed Removabl

##### [MFG WEBSITE](#)

<https://designhardware.net/products/exit-devices/exit-device-trim-accessories/key-removable-mullion/>

Application: Used to adapt a double door into two single doors  
Operation: Turning key in mortise cylinder provides fast and easy means of removing mullion from opening  
Features  
-Heavy Duty Steel construction  
-Easy removal when full width of an opening is required  
-Self locking when reinstalled without needing the key  
-Flush side mounted cylinder is not visible from front  
-Includes 1/8" adjustment shim for fine tuning fitment  
-Increases Security & Minimizes door sag and warpage  
Mullion Tube: 2" Wide x 3" Depth x 1/8" Steel  
Top/Btm Retainers are made of Investment Cast Steel  
Headcap: Steel with zinc dichromated internal parts  
Lengths: 7', 8' & 10' lengths – can be cut to length in field  
Cylinder: 1 1/8" Mortise Cylinder with std. cam (included) – 6 Pin Brass, C Kwy, with 2 Keys  
Optional Cylinder:  
1 3/8" Mortise cylinder housing for 6 or 7 pin Small format IC core (less core)  
Popular competitor keyways available





**EXIT DEVICES/WALL  
MOUNTING KIT**

with replacement cylinders (extra charge applies)  
Finish: AL Painted (Prime Coat)  
Accessories: Stabilizers, Wall mounted storage kits, Filler blocks & Angle brackets  
Limited Lifetime Warranty

**DHW KRM-WMSK AL MULLION WALL  
MOUNTED STORAGE KIT**



\* K R M - W M S K . A L \*

SRP \$125