



HARDWARE CATALOG 2022

LOCKS & LOCKSETS

 **HULL**

ACCESS CONTROL LOCKSETS



PDQ

Lock and unlock with a smartphone Access has never been so easy since smartphones have become the new keys. Say good-bye to the hassle and cost of replacing lost keys.

Affordable
No hard wiring, quick and easy installation, plug and play. Operate locks your way Life is about choices and locks should be too. With smartphone, RFID, PIN code, smartwatch, smart remote, and key, unlocking is super-easy and convenient. Scheduling access makes your life easy and convenient pdqSMART is perfect for scheduling access for regular visitors like the cleaning service, maintenance crew, or service technicians. You'll never have to be present at the site to let them in again. Easily track who comes and goes The app displays all activity including detailed information about who's coming and going, both on your smartphone and on the web portal.

Safe and secure – peace of mind Safety and security? We've got you covered. pdqSMART commercial grade locks combined with AES 128-bit/Cipher Block Chaining encryptions keeps your business protected from hackers and intruders. Operate remotely Control access anywhere, anytime, 24/7. Whether you're in the office or halfway around the world, keep your property or business running smoothly with easy and secure pdqSMART locks. Your lock keeps getting smarter...it's future-proofed With over-the-air updates, you'll never have to worry about locks becoming obsolete.

As technology advances, pdqSMART will keep your lock on the leading edge adding new features and capabilities, and it's all for free.

Push notifications short-cut lock operation and keep you posted on who's coming and going. Push notifications let you know the service technicians arrived or who entered the office after hours. Approach the lock and the app pops up, allowing for quick and easy entry. Perfect for retrofits It's quick and easy to upgrade existing mechanical locks to key free access.

PDQ SDS-STP-116-PHL-626-234-ASA-5 pdq SMART STAND-ALONE SMART TOUCH PIN GRADE 2 CYLINDRICAL LOCK

PDQ GTS-STP-116-PHL-626-234-ASA-SCCL pdq SMART STAND-ALONE SMART TOUCH PIN GRADE 1 CYLINDRICAL LOCK

PDQ GTS-STP-116-PHL-626-234-ASA-5 pdq SMART STAND-ALONE SMART TOUCH PIN GRADE 1 CYLINDRICAL LOCK

PDQ SDS-XLS-116-PHL-626-234-ASA-5 pdq SMART CLOUD HOSTED NETWORKED ACCESS CONTROL GRADE 2 CYLINDRICAL LOCK

PDQ GTS-XLS-116-PHL-626-234-ASA-SCCL pdq SMART CLOUD HOSTED NETWORKED ACCESS CONTROL GRADE 1 CYLINDRICAL LOCK

PDQ GTS-XLS-116-PHL-626-234-ASA-SCCR pdq SMART CLOUD HOSTED NETWORKED ACCESS CONTROL GRADE 1 CYLINDRICAL LOCK

Supply closets/equipment rooms
Workout rooms
Restrooms/bathrooms
Dressing/fitting rooms
Maternity/nursing rooms
Other private rooms needing occupancy indication
Cylindrical, mortise, and exit trim chassis options are available as well as a wide variety of finishes and levers to suite with existing hardware. Mechanical key override is standard and compatible with cylinders from Schlage and other popular brands. The CO-Series is also compatible with many popular brands of exit devices.

SCHLAGE CO-100-CY-70-KP-RHO-626-BD (less core)

SCHLAGE CO-100-CY-70-KP-RHO-626-PD (with 6-pin Schlage C cylinder, 2 keys)

SCHLAGE CO-100-CY-70-KP-SPA-626-BD (less core)

SCHLAGE CO-100-CY-70-KP-SPA-626-PD (with 6-pin Schlage C cylinder, 2 keys)

SCHLAGE CO-100 KEYPAD PROGRAMMABLE LOCK



CO-100 Keypad Programmable Lock
Part of the CO Series, this simple offline, keypad-entry lock is designed for up to 500 unique users using PIN code entry only. CO-100 is an economic alternative anytime there is a desire to minimize key distribution. CO-100 models are designed for use as easy to manage, low maintenance locks that use 3-6 digit PIN codes as credentials. Administrator level users can program it right at the door to add or delete user PIN codes or change preferences or functions at any time. They are ideal for:
Visitor pass through/common areas
Vestibules or reception area doors controlled by remote release
Pool gates, breezeways and other outdoor applications
Maintenance areas

CYLINDRICAL LOCKSETS



BEST 7KC SERIES

Medium Duty Locks - Levers
Cylindrical chassis to fit common door preparation. Standard and Drive-in latches available. Through-bolt mounting studs increase torque resistance. Quick rekeying with BEST interchangeable core. No exposed keeper hole on keyed levers for increased security. Hub torque spring provides extra resistance to lever sag. Snap-on inside rose (no exposed mounting screws). Keyed lever is removable only after removal of core. Internal steel mechanisms are corrosion treated for normal atmospheric conditions. ADA-Americans With Disabilities Act: 7KC series – The design and operation of the BEST® cylindrical lock meets the intent of the standard for ANSI A117.1 section 404.2.6 and Illinois Accessibility Standard 400.310 (j)(8). Lockset reversible for either hand of door without removing keyed lever. Underwriters Laboratories®: 7KC series – Listed by Underwriters Laboratories for use on 3 Hr.

A label for single (4' x 8') doors. Builders Hardware Manufacturers Association: 7KC series – Listed by BHMA for A156.2. Series 4000, Grade 2. ADA-Americans With Disabilities Act: 7KC series – The design and operation of the BEST® cylindrical lock meets the intent of the standard for ANSI A117.1 section 404.2.6 and Illinois Accessibility Standard 400.310 (j)(8). California State Fire Marshal: 7KC - series 14 & 15 lever conforms with California Title 24. Products protected by one or more of the following patents: 5,590,555 5,794,472

BES 7KC30N15DS3-626 PASSAGE

BES 7KC30N15DS3-613 PASSAGE

BES 7KC30L15DS3-626 PRIVACY

BES 7KC30L15DS3-613 PRIVACY

BES 7KC37AB15DS3-626 ENTRY

BES 7KC37D15DS3-626 STOREROOM

BES 7KC37R15DS3-626 CLASSRM

BES 7KC37AB15DS3-613 ENTRY

BES 7KC37D15DS3-613 STOREROOM

BES 7KC37R15DS3-613 CLASSRM



BEST 9K SERIES

The BEST 9K. Now houses most interchangeable cores. The 9K has long been a top choice for its quick installation, safety and durability. Now, we've made it an easy choice, too, by updating it to house most large format interchangeable cores. Just slide the existing core out of the lock you're replacing, install the new 9K, and slide the old core back into the 9K lever. No assembly, drilling or re-keying required. It's the easiest upgrade you'll ever make. THE 9K SERIES FEATURES: Easily Adaptable No re drilling or hassle—the 9K works with most existing large format interchangeable cores. Hardened steel through-bolt studs Deliver maximum lever torque resistance that stands up to the hardest hands. Pre-assembled heavy-duty chassis Out of the box and onto the door, the 9K offers quick and easy installation. Intruder function option Enables you to secure classroom doors quickly from the inside during an emergency. Cast construction lock hub Protects the lock's critical components from everyday use and abuse. Proven quality Tested to exceed 10 times the BHMA Grade 1 criteria by UL.

Low-profile rose design Ensures ADA-friendly lever operation works every time in a variety of settings. Popular finishes Available in 11 beautiful, durable finishes.

BES 9K30N15DS3-626 PASSAGE

BES 9K30N15DS3-613 PASSAGE

BES 9K30L15DS3-626 PRIVACY

BES 9K30L15DS3-613 PRIVACY

BES 9K37AB15DS3-626 ENTRY

BES 9K37B15DS3-626 ENTRY (push button only, no thumb turn)

BES 9K37D15DS3-626 STOREROOM

BES 9K37R15DS3-626 CLASSRM

BES 9K37AB15DS3-613 ENTRY

BES 9K37B15DS3-613 ENTRY (push button only, no thumb turn)

BES 9K37D15DS3-613 STOREROOM

BES 9K37R15DS3-613 CLASSRM

BES 9K37IN15DS3-613 INTRUDER

BES 9KW37DEU15DS3-626 RQE 24V

BES 9KW37DEU15DS3-613 RQE 24V

BES 9KZ37DV15KPS3-626-8CE L/C KEYPAD LOCK

FINISH CHART

**US3
Bright Brass
BHMA 605**

**US19
Matte Black
BHMA 622**

**US5
Antique Brass
BHMA 609**

**US26D
Satin Chrome
BHMA 626**

**US10B
Oil Rubbed Bronze
BHMA 613**

**US32D
Stainless Steel
BHMA 630**

**US4
Satin Brass
BHMA 606**

**US26
Bright Chrome
BHMA 625**

**US10
Satin Bronze
BHMA 612**

**US32
Bright Stainless Steel
BHMA 629**

**US15
Satin Nickel
BHMA 619**

CYLINDRICAL LOCKSETS



CAL ROYAL Pioneer SL Series

DOOR RANGES 1 3/8" to 1 3/4" thickness doors
 BACKSET 2 3/4" Standard, 2 3/8" Optional
 LATCHBOLT 3/8" Throw solid brass, reversible for RH or LH applications. UL Listed
 LATCH FACEPLATE 2 3/4" x 1 1/8", adjustable for flat or beveled doors 1/8" in 2", for 2 3/4" backset. Optional 2 1/8" x 1" for 2 3/8" backset
 STRIKES ASA strike standard, "T" and full lip strike available on request
 EXPOSED TRIM Wrought Brass, Bronze or Stainless Steel, levers are Zinc casting, plated to match trim finish
 ANSI STANDARDS Meets or exceeds requirements of BHMA/ANSI A156.2 Series 4000, Grade 2 (FF-H 106C), 400,000 cycles
 T220
 DOOR RANGES 1 3/8" to 1 3/4" thickness doors
 BACKSET Adjustable 2 3/8" or 2 3/4"
 DEADBOLT FACEPLATE
 Latchbolt: Standard 2 3/4" X 1" packed with 1/8" plastic filler to convert 1" face plate to 1 1/8" wide door preparations TRIM Wrought Brass or Stainless
 Steel BORE DIAMETER 1" for latch, 1 1/8" or 2 1/8" for lock housing
 STRIKE 1 1/8" X 2 3/4" Square Corner

CAL SL40 DUMMY LEVER 26D

CAL SL40 DUMMY LEVER 10B

CAL SL40 DUMMY LEVER US1 (BLACK)

CAL SL30 PASSAGE LOCK 26D

CAL SL30 PASSAGE LOCK US3

CAL SL20 PRIVACY LOCK 26D

CAL SL20 PRIVACY LOCK US3

CAL SL30 PASSAGE LOCK 10B



CAL-ROYAL Barrington BA Series

DOOR RANGES: - 1 3/8" to 1 3/4" thickness doors
 BACKSET: - 2 3/4" Standard, 2 3/8", 3 3/4" and 5" extension available.
 STRIKES: - ANSI strike standard, 4 7/8" x 1 1/4". Optional "T" and full lip strike available on request.
 ADDITIONAL KEYWAYS: - 6 pin solid brass "C" keyway standard. Schlage E, Schlage C-K, Russwin D1-2-3-4, Corbin 59/60, Corbin/Russwin L4, Sargent LA-LB-LC, Falcon/Weiser E, Arrow A, Yale 8, Yale GA and Kwikset. Can also accept Medeco, Assa, Kaba and Cal-Royal HSK High Security Cylinders KEYING- 6-pin "C" keyway cylinder, 2 keys per lock.
 BORE DIAMETER: - 1" for latch, 2 1/8" for lock housing.
 INTERCHANGEABLE CORE - Interchangeable Core locks will accept compatible 6 or 7 pin cores with BEST, FALCON and ARROW.

CAL SL30 PASSAGE LOCK US1 (BLACK)

CAL SL30 PASSAGE LOCK US10

CAL SL30 PASSAGE LOCK US26

CAL SL20 PRIVACY LOCK 10B

CAL SL20 PRIVACY LOCK US1 (BLACK)

CAL SL20 PRIVACY LOCK US10

CAL SL20 PRIVACY LOCK US26

CAL ICSL00 ENTRANCE LOCK 26D

CAL I.C. SL03 CLASSRM LOCK 26D

CAL ICSL05 STORERM LOCK 26D

CAL SL00 ENTRANCE LOCK 26D

CAL SL00 ENTRANCE LOCK US3

CAL SL03 CLASSRM LOCK 26D

CAL SL05 STORE RM LOCK 26D

CAL SL05 STORE RM LOCK US3

CAL SL00 ENTRANCE LOCK 26D
 KEYED ALIKE --- Keyshop to record bitting

CAL ICSL00 ENTRANCE LOCK 10B

CAL SL00 ENTRANCE LOCK 10B

CAL SL00 ENTRANCE LOCK US1 (BLACK)

CAL SL00 ENTRANCE LOCK US10

CAL SL00 ENTRANCE LOCK US26

CAL SL03 CLASSRM LOCK 10B

CAL SL03 CLASSRM LOCK US1 (BLACK)

CAL SL05 STORE RM LOCK 10B

CAL SL05 STORE RM LOCK US1 (BLACK)

CAL SL05 STORE RM LOCK US 10

Prefix "IC" before part number. Available combined or uncombined. Temporary construction cores available. Factory keying with control key and masterkey available.
 LATCH FACEPLATE - 2 1/4" x 1 1/8" for 2 3/4" backset, 2 1/4" x 1" for 2 3/8" backset.
 EXPOSED TRIM - Wrought brass, bronze or stainless steel.
 ANSI STANDARDS - Meets or exceeds requirements of BHMA/ANSI A156.2 series 4000 for grade 2 (FF-H-106C).

CAL BA30 PASSAGE LOCK 32D

CAL BA20 PRIVACY US 32D

CAL BA30 PASSAGE LOCK 10B

CAL BA00 ENTRANCE LOCK 32D

CAL ICBA00 ENTRANCE LOCK 32D

CAL BA00 ENTRANCE LOCK 10B

CYLINDRICAL LOCKSETS



FALCON 914 KEY IN LEVER

KEY IN LEVERSET FOR 1-3/4" THICK DOORS



FALCON B Series

The B Series medium-duty lever lock offers tough, reliable performance and is ideal for new construction projects in retail, industrial, multi-family, government and military applications. It is a certified ANSI/BHMA A156.2 Series 4000 Grade 2 lock and exceeds the standard for durability and reliability. It is UL listed and meets ADA standards with two of the most common lever designs in the industry.
 In retrofit situations, the B Series offers interchangeable cores for quick and convenient re-keying and is compatible with cores built by other manufacturers. The B Series is ideal for new construction and retrofit jobs where cost is a concern, but security and reliability are required.



FALCON W Series

The W Series medium-duty cylindrical locks feature two lever styles, two knob styles and two rose diameters to match most commercial door trims. Ideal for low-traffic doorways, the W Series can be used in retail, multifamily, mix-use, government and industrial applications.
 The W Series is UL listed and meets ANSI/BHMA A156.2 Series 4000 Grade 2 standards for durability. Interchangeable cores remove for quick and convenient re-keying and are compatible with cores built by other manufacturers. The W Series delivers a quality product at a value price point and is versatile enough to fit various applications.



SARGENT 10 LINE

Enduring more than 1.5 times the industry standard of abusive force, the 10 Line lock is a heavy-duty key-in-lever handle lockset that also exceeds the ANSI/BHMA 156.2 Series 4000 Grade 1 standards by nine times, at over 9 million cycles. And in addition to preventing unwanted entry, the 10 Line is designed to conform to national and state fire and handicapped requirements.

FEATURES

Installs in one minute or less
 Adapts to fit multiple thrubolt positions
 Customizable with a variety of lever styles, finishes and functions

BENEFITS

Efficient Installation:
 Preassembled components make installation quick and easy
 Flexible: accommodates retrofit applications and a variety of door preparations
 Customizable: offered with a variety of lever styles, roses and finishes

FAL 914-KIL-KD ENTRY DANE US32D (RHR, Field Reversible) Falcon C Keyway

FAL 914-KIL-IC ENTRY DANE US32D (RHR, Field Reversible) Core included, A keyway

FAL B101S-D-26D PASSAGE

FAL B101S-Q-26D PASSAGE

FAL B301S-D-26D PRIVACY

FAL B301S-Q-26D PRIVACY

FAL B511BD-D-26D OFFICE

FAL B511BD-Q-26D OFFICE

FAL B561BD-D-26D C/ROOM

FAL B561BD-Q-26D C/ROOM

FAL B581BD-D-26D S/ROOM

FAL B581BD-Q-26D S/ROOM

FAL W101S SRQ 626 PASSAGE

FAL W301S SRQ 626 PRIVACY

FAL W511BD SRQ 626 ENTRY SFIC

FAL W511CP6D SRQ 626 ENTRY

FAL W561BD SRQ 626 CLASSROOM SFIC

FAL W561CP6D SRQ 626 CLASSROOM

FAL W581BD SRQ 626 STOREROOM SFIC

FAL W581CP6D SRQ 626 STOREROOM

SAR 28 10U15 LL PASSAGE 26D

SAR 28 10U65 LL PRIVACY 26D

SAR 28-10G04-LL ST/RM 26D

SAR 28 10G05 LL OFFICE 26D

SAR 28-10G37-LL CL/RM 26D

SAR 60-28-10G05-LL 26D ENTRY LESS LFIC CORE

SAR 28-10G71 LL 26D ELEC STOREROOM 24V



SARGENT 11 LINE

Providing unequalled strength and durability, the 11 Line lock is the ever-reliable lock of choice in demanding environments like schools or healthcare facilities. Its unique T-Zone® construction with true interlocking between the lock body and latch easily exceeds ANSI/BHMA Grade 1 requirements for torque and cycle testing—ensuring optimal operation even in abusive applications.

FEATURES

18 available functions, with many functions being field changeable
Integrates into most existing key systems
Fits standard 161 door prep and is non-handed
10-year limited warranty

BENEFITS

Reliable: no through bolts or surface screws to be installed. TZone construction prevents the lock from twisting
Flexible: utilizes one lock body for multiple functions, simplifying facility maintenance
Secure: torque-resistant construction enables lock to withstand tough environments

SAR 28 11U15 LL PASSAGE 26D

SAR 28 11G04 LL ST/RM 26D



SARGENT 6500 LINE

Designed for increased usability, the 6500 Line standard duty key-in-lever lock exceeds ANSI/BHMA Grade 2 standards. It installs easily and is available in eight functions and six different finishes to match existing facility aesthetics.

SAR 28 65U15 KL PASSAGE 26D

SAR 28 65U65 KL PRIVACY 26D

SAR 28-60 65G05 KL OFFICE 26D

SAR 28-65G04 KL ST/RM 26D

SAR 28 65G05 KL OFFICE 26D

SAR 28 65G37 KL CL/RM 26D

SAR 70 28 65G05 KL OFFICE 26D



SCHLAGE AL Series

AL Series

Dependable performance for high traffic commercial applications
At Schlage, we know that every product you specify has to stand up to constant use, while meeting your needs for security at every level. Our AL Series locks are designed to deliver ADA compliant accessibility and constant, reliable performance. The AL Series is best for buildings with medium to high traffic flow, such as interior office doors, banks, retail spaces and hotel guest areas. With a Grade 2 ANSI rating, and styles and finishes to suit your building's design, the AL Series fits right where you need it. Pictured here: Jupiter lever shown in 626 satin chrome

SCH AL50PD JUP 626 C KWY ENTRY

SCH AL50PD SAT 626 C KWY ENTRY

SCH AL53PD JUP 626 C KWY ENTRY LOCKSET

SCH AL53PD SAT 626 C KWY ENTRY LOCKSET

SCH AL70PD JUP 626 C KWY CLASSROOM

SCH AL70PD SAT 626 C KWY CLASSROOM

SCH AL80PD JUP 626 C KWY STOREROOM

SCH AL80PD SAT 626 C KWY STOREROOM

SCH AL53PD JUP 613 C KWY ENTRY LOCKSET

SCH AL53PD SAT 613 C KWY ENTRY LOCKSET

SCH AL70PD JUP 613 C KWY CLASSROOM

SCH AL70PD SAT 613 C KWY CLASSROOM

SCH AL80PD JUP 613 C KWY STOREROOM

SCH AL80PD SAT 613 C KWY STOREROOM

SCH AL10S JUP 626 PASSAGE

SCH AL10S SAT 626 PASSAGE

SCH AL40S JUP 626 PRIVACY

SCH AL40S SAT 626 PRIVACY

SCH AL10S JUP 613 PASSAGE

SCH AL10S SAT 613 PASSAGE

SCH AL40S JUP 613 PRIVACY

SCH AL40S SAT 613 PRIVACY



SCHLAGE ND Series

Significantly exceeds ANSI/BHMA Grade 1 requirements
No access with minimum 3,100 inlb. abusive lever torque, the equivalent of over 690 lbs. applied to the end of a 4-1/2" lever, 2.6 times over the BHMA requirement*
No access with minimum 1,600 lbs. offset lever pull for protection against pry bar attacks, 8 times over the BHMA requirement*
5 points of engagement provide nearly zero droop and wobble after 16 million cycles, 16 times over the BHMA requirement*, without the use of set screws or orings
High security locking when used with Primus XP UL 437 listed cylinders
Function availability and convenience
24 mechanical/4 electrified functions (custom functions available)
Multiple key systems available: open, patented and restricted
Four electrified functions
autodetect 12/24V DC operation and ,with maximum current draws of 0.4 amps and 0.1 amps holding current eliminate heated levers
Indicator roses for classroom applications

Three spring cage sets support all Schlage plus eight competitive cylinder formats
Aesthetics
Nine lever and four rose designs
Ten available finishes
Perfectly suited to Schlage ALX Series grade 2 locks
Suites with Von Duprin exit devices and other Schlage products
Options
Vandigard option lets the lever freely rotate up and down when locked protecting the chassis from excessive force on the lever to prevent vandalism - available on most keyed functions

SCH ND10S RHO 626 PASSAGE

SCH ND40S RHO 626 PRIVACY

SCH ND50PD RHO 626 OFFICE

SCH ND53PD RHO 626 ENTRY - C KWY

SCH ND70PD RHO 626 CLASSROOM

SCH ND80PD RHO 626 STOREROOM CKWY



STANLEY QCL SERIES

QCL100 SERIES

Heavy-Duty Cylindrical Locks
STANLEY Commercial Hardware
QCL100 Series delivers quality, performance and long-term durability at a great value. When you need a reliable lockset for high-traffic, heavy-abuse applications, the QCL100 Series offers flexible solutions with built in security features to meet those demands. QCL100 locks are built to have an exceptionally reliable performance life, be easy to install and remain vandal resistant.

STA QCL260 E CLASSROOM 626 Schlage C x KD - Grade 2 Classroom Cylindrical Lever

STA QCL261 E SFIC CLASSROOM 626 (Less Core) - Grade 2 Cylindrical Lever

STA QCL270 E STOREROOM 626 Schlage C x KD - Grade 2 Cylindrical Lever

STA QCL271 E SFIC STOREROOM 626 (Less Core) - Grade 2 Cylindrical Lever

STA QCL250 E ENT 613 S4 478 Schlage C x KD - Grade 2 Cylindrical Lever

STA QCL260 E CLASSROOM 613 Schlage C x KD - Grade 2 Cylindrical Lever

STA QCL270 E STOREROOM 613 Schlage C x KD - Grade 2 Cylindrical Lever

STA QCL240 E PRIVACY 626 - Grade 2 Cylindrical Lever

STA QCL230 E PASSAGE 613 - Grade 2 Cylindrical Lever

STA QCL250 E ENTRY 626 Schlage C x KD - Grade 2 Cylindrical Lever

STA QCL251 E SFIC ENTRY 626 (Less Core) - Grade 2 Cylindrical Lever



STANLEY QCL SERIES

2.6 ADA Compliant. Commercial Grade - Privacy Indicator Lock and Lever in Oil-Rubbed Bronze. Left-Handed (C5FA-L).
NONREVERSIBLE.
Product Features:
These locks are **NONREVERSIBLE**. Seeking some rustic warmth or a boho vibe? The oil rubbed bronze provides the organic and earthy inspiration you need.
The unique, all-in-one design automatically displays "in use" or "vacant" indicators when locked or unlocked. With easy installation requiring only a screwdriver, this handsome handle and lock are available in either right or left-sided configuration.

VIZILOCK C5FA-LH/LHR 613 (Privacy Indicator lock and lever, bronze)

VIZILOCK C5FA-RH/RHR 613 (Privacy Indicator lock and lever, bronze)

PRIVACY INDICATOR LOCKS



VIZILOK C5FA

2.6 ADA Compliant. Commercial Grade - Privacy Indicator Lock and Lever in Oil-Rubbed Bronze. Left-Handed (C5FA-L). **NONREVERSIBLE.**
Product Features: These locks are **NONREVERSIBLE.** Seeking some rustic warmth or a boho vibe? The oil rubbed bronze provides the organic and earthy inspiration you need. The unique, all-in-one design automatically displays "in use" or "vacant" indicators when locked or unlocked.

With easy installation requiring only a screwdriver, this handsome handle and lock are available in either right or left-sided configuration

VIZILOK C5FA-LH/LHR 613 (Privacy Indicator lock and lever, bronze)

VIZILOK C5FA-RH/RHR 613 (Privacy Indicator lock and lever, bronze)



VIZILOK C5FN

2.4 ADA Compliant. Commercial Grade Privacy Indicator Lock and Lever in 646 Satin Nickel. Right-Handed (C5FN-R). **NONREVERSIBLE.**
Product Features: The attractive satin nickel finish of this lock brings a note of beauty to its highlevel functionality, ADA compliant, it can be locked and unlocked with a one-touch lever that guarantees any of your clients with a disability can operate it with ease.

A unique all-in-one design that automatically displays "vacant" or "in use" when locked or unlocked, it's the ultimate in a user-friendly design. Vizilok installs easily - only a screwdriver is require

VIZILOK C5FN-RH/RHR 646 (Privacy Indicator lock, satin nickel)



VIZILOK C5FS

2.1 ADA Compliant. Commercial Grade - Privacy Indicator Lock and Lever in 26D Satin Chrome. Right-Handed (C5FS-R). **NONREVERSIBLE**
Product Features: This lock, in our most popular satin chrome finish, has a silvery feel that will complement any decor. ADA compliant, with a user-friendly one-touch lever that is easily operated by anyone with a physical challenge. Perfect for doctor's offices, hospitals, rehabilitation facilities, and retirement communities.

The unique, all-in-one design automatically displays "in use" or "vacant" indicators when locked or unlocked. With easy installation requiring only a screwdriver, this handsome handle and lock are available in either right or left-sided configuration.

VIZILOK C5FS-LH/LHR 626 (Privacy Indicator lock, satin chrome)

VIZILOK C5FS-RH/RHR 626 (Privacy Indicator lock, satin chrome)

CYLINDRICAL LOCKSETS



YALE 4600LN Series

Yale® 4600LN cylindrical locks are the ideal choice for a wide variety of commercial applications where consistent quality, ease of use and installation are required at an economical price. The 4600LN Series is certified to ANSI/BHMA Grade 2 standards and is UL firelisted for all functions, ensuring reliability and peace of mind. ANSI/BHMA: A156.2, Series 4000 Grade 2
 UL-cUL: UL-cUL fire rated up to 3 hours
 Windstorm: 4600LN Certified (refer to local codes)
 Mechanism: Heavy-gauge steel, zinc plated, dichromated
 Backset: 2-3/4" standard; 2-3/8" to order
 Latchbolt: 1/2" stainless steel throw
 Guardbolt: Deadlocks latchbolt when door is closed; standard on all locking functions
 Door Thickness: Adjustable from 1-3/8" to 1-3/4"
 Fronts: Universal for both flat and beveled door edges
 Cylinders: Brass, 6-pin, keyed random cylinder with two keys furnished standard, conventional 7-pin not available. 6 and 7 pin SFIC available.
 Reversibility: Non-handed
 Strikes: 1-1/4" curved lip for 1-3/4" door standard; other lip lengths to special order; all reversible

YALE AU-4655LN DUMMY 626 Grade 2 Dummy Cylindrical Lock

YALE AU-4601LN PASSAGE 613E x 497 ANSI x MCP234 Grade 2 Passage/Closet Latch Cylindrical Locks

YALE AU-4601LN PASSAGE 626 x 497 ANSI x MCP234 Grade 2 Passage/Closet Latch

YALE AU-4602LN PRIVACY 613E x 497 ANSI x MCP234 Grade 2 Privacy Cylindrical Locks

YALE AU-4602LN PRIVACY 626 x 497 ANSI x MCP234 Grade 2 Privacy Cylindrical Locks

YALE AU-4604LN ENTRY LOCK 626 x 497 RH- 6PIN

YALE AU-4605LN STOREROOM 613E x 497 ANSI x MCD234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Storeroom/Closet Cylindrical Lock

YALE AU-4605LN STOREROOM 626 x 497 ANSI x MCD234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Storeroom/Closet Cylindrical Lock

YALE AU-4607LN ENTRY 613E x 497 ANSI x MCD234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Entry Cylindrical Lock

YALE AU-4607LN ENTRY 626 x 497 ANSI x MCD234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Entry Cylindrical Lock

YALE AU-4608LN CLASSROOM 613E x 497 ANSI x MCD234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Classroom Cylindrical Lock






YALE AU-4608LN CLASSROOM 626 x 497 ANSI x MCD234 x 2806 6-Pin Schlage C Keyed Random Grade 2 Classroom Cylindrical Lock

YALE BAU4605LN STOREROOM 626 x 497 ANSI x MCD234 x Less Core x SFIC Grade 2 Storeroom/Closet Cylindrical Lock

YALE BAU4607LN ENTRY 626 x 497 ANSI x MCD234 x Less Core x SFIC Grade 2 Entry Cylindrical Lock

YALE BAU4608LN CLASSROOM 626 x 497 ANSI x MCD234 x Less Core x SFIC Grade 2 Classroom Cylindrical Lock

FUNCTION CHART

	<i>Latchbolt operated by lever from either side. Outside lever locked by push button from inside. Unlocked by key from outside or rotating inside lever. When outside lever locked by push and turn button from inside, key from outside or rotating inside lever retracts latch, does not unlock outside lever.</i>
	<i>Latchbolt operated by knob from each side. Outside knob locked or unlocked by key from outside. Inside knob always operates latch</i>
	<i>Latch operated by rotating inside lever or key in outside lever. Outside lever always fixed</i>
	<i>Latchbolt operated by lever from either side. Outside lever locked by push button on inside. Unlocked by emergency release on outside, rotating inside lever, or closing door</i>
	<i>Latchbolt operated by lever from either side at all times</i>

DEADBOLTS



BEST 8T SERIES

Used either as a standalone or in conjunction with cylindrical locks for extra security, the BEST T Series consists of two strong options:
 8T: Grade 1 tubular deadbolt
 7T: Grade 2 tubular deadbolt
 Built with identical tubular assemblies, the 7T and the 8T both fit standard door preps. The 7T can be found in low-security areas, such as bathrooms or storage rooms.

The 8T is also available with lead line options, making it a good solution for radioactive doors (MRI, x-ray, etc.) in healthcare facilities.

BES 8T3-7-K-STK-626 L/C ENTRY DBOLT

BES 8T3-7-S-STK-626 L/C CLRM DBOLT



SCHLAGE B660

B600, B700 and B800 Series Grade 1 Deadbolts. Schlage commercial grade 1 deadbolts are designed for security, durability and beauty. They feature a thick, anti-saw hardened steel bolt with anti-pry, antiwrench and other protections to make it one tough lock. Schlage B Series deadbolts have long been the industry standard for tubular deadbolts. Built Schlage strong, B Series deadbolts are among the most secure and durable in the industry.

The commercial Grade 1 deadbolts are also among the most beautiful with a sleek, broadly angled trim ring in a shallow, 7/8" depth offered in 11 finishes. A wide variety of functions and choice of cylinders including geographically exclusive Primus XP options makes them suitable for nearly any deadlock application need.

SCH B660P 626 C KWY SGL CYL D/B - ADA COMPLIANT

SCH B660P 613 C KWY SGL CYL D/B C KWY LOCKSET - ADA COMPLIANT

STANLEY QDB 200 SERIES



QDB200 SERIES
Standard Duty Deadbolts
STANLEY Commercial
Hardware's QDB200 Series
ANSI/BHMA Grade 2 deadbolts
have more built-in features for
attack resistance. In addition to
quality materials and
construction, we have
components to combat saw, drill
and wrench attacks. When you're
choosing a deadbolt for light
commercial applications, choose
the name more Americans trust
for their security.

**STA QDB287 CLASSROOM SFIC DBOLT
626 (Less Core) - Grade 2 Heavy Duty
Classroom Auxiliary Deadbolt**

**STA QDB286 CLASSROOM DBOLT 626
Schlage C x KD - Grade 2 Heavy Duty
Classroom Auxiliary Deadbolt**

**STA QDB286 CLASSROOM DBOLT 613
Schlage C x KD - Grade 2 Heavy Duty
Classroom Auxiliary Deadbolt**



SARGENT 8200 SERIES

Ideally suited for high-traffic
facilities like schools and
hospitals, the 8200 Series
deadbolt features a one-piece
hardened stainless steel deadbolt
and high-quality construction to
provide maximum security,
performance and durability.

SAR BP 8215 BODY 26D

SAR BP 8265 BODY 26D

SAR BP 8205 BODY 10B

SAR BP 8205 BODY 26D

SAR BP 8255 BODY 26D

**SAR RX8271-24V BODY ONLY 26D
FAIL SECURE**

MORTISE LOCKSETS



SARGENT 8200 SERIES

With its innovative,
multifunctional lock body, the
8200
Series Mortise Lock, is
considered the industry
benchmark for all mortise locks
on the market today. It is also the
strongest and most durable—far
surpassing ANSI/BHMA A156.13
Series 1000 Grade 1 standards in
independently verified
testing—for additional resistance
against vandalism and
unauthorized entry.

The electromechanical version of
the 8200 Series Mortise Lock
operates from 12 to 24VDC and
can be used in stand-alone
applications or as part of an
integrated access control system.
Featuring EcoFlex technology,
the electromechanical version
dramatically reduces power
consumption by up to 96%, as
certified by GreenCircle.

FEATURES

Patented design and construction
Available in 60 different
functions, including
electromechanical, security and
monitoring
UL-cUL listed for three hour fire
doors and windstorm applications
10-year warranty

BENEFITS

Strength & Reliability: Far
exceeds independently verified
testing. Verified for over 14
million cycles
Ease of Install: Pre-assembled
components make installation
fool-proof
Customizable: A wide variety of
functions, lever designs and
finishes make this lock ideal for
all types of applications

SAR TR 8215 LNJ TRIM 26D

SAR TR 8205 LNJ 26D

SAR TR 8265 LNJ TRIM 26D

SAR TR 8205 LNB 26D

SAR TR 8205 LNL 26D

SAR TR 8205 LNB TRIM 10B

SAR 8215 LNJ PASSAGE 26D

SAR 8215 LNB PASSAGE 26D

SAR 8215 LNL PASSAGE 26D

SAR 8204 LNJ STOREROOM 26D

SAR 8205 LNJ OFFICE 26D

SAR 8237 LNJ CLASSROOM 26D

SAR 8255 LNJ OFFICE 26D

SAR 8204 LNB STOREROOM 26D

SAR 8204 LNL STOREROOM 26D

SAR 8205 LNB OFFICE 26D

SAR 8205 LNL OFFICE 26D

SAR 8237 LNB CLASSROOM 26D

SAR 8237 LNL CLASSROOM 26D

SAR 8255 LNB OFFICE 26D

SAR 8255 LNL OFFICE 26D

SAR 8204 LNB STOREROOM 10B

SAR 8205 LNB OFFICE 10B

SAR 8237 LNB CLASSROOM 10B

SAR RX8271 LNJ 24V 26D FAIL SECURE

**SAR RX8271 LNB 24V 26D FAIL
SECURE**

SAR RX8271 LNL 24V 26D FAIL SECURE

OTHER LOCKSETS



**HAG 330M PRIVACY PKT DR
LATCH US26D**

**HAG 330M PRIVACY PKT DR LATCH
US26D**



STANLEY BEST 45H

When you want the toughest
mechanical security for your
building, you want the 40H Series
from BEST.

With its advanced features,
improved functionality and unique
versatility, this durable mortise
lock is reliable and flexible in any
commercial or industrial setting.
Heavy duty in both protection and
performance, the 40H is the ideal
security solution when strength
and dependability are required.
Free egress and overall security
are never compromised.

The BEST interchangeable core
allows for customized master
keying and quick keying changes.
And its tough steel frame
accommodates heavy traffic,
while standing strong against
break-in attempts. All the while,
the 40H remains a low
maintenance product that is easy
to reconfigure and easy to install.

**BES 45H-7-UNR-15-H-626-RH
MORTISE
LOCKSET, SFIC less core (can be used for
Office, Storeroom, Passage, Exit or
Classroom functions; no dead bolt)**