



HARDWARE CATALOG 2022

DOOR TRIM

H HULL

**ARROW SR Trim**

CLASSROOM LEVER TRIM
4-3/4" X 2-9/16" W 3-11/32" Rose
Lever: S CAST
Rose: R Wrought
ADA COMPLIANT

**Design Hardware KIL - Key in**

ANSI A156.3, Grade 1
Meets ADA requirements ANSI A117.1 Steel, Zinc Dichromated Chassis with Secure Thru Bolted design
Standard Duty lever trim option for 1000R & 2000R (Not recommended for SVR devices, Heavy Duty LE trim recommended)
Installs in 2 1/8" 161 door prep
Actuator: Cross shaped stainless steel
5" Solid Zinc Diecast lever - 2 7/8" total projection

**Design Hardware KIL - Key in L**

ANSI A156.3, Grade 1
Meets ADA requirements ANSI A117.1 Steel, Zinc Dichromated Chassis with Secure Thru Bolted design
Standard Duty lever trim option for 1000R & 2000R (Not recommended for SVR devices, Heavy Duty LE trim recommended)
Installs in 2 1/8" 161 door prep
Actuator: Cross shaped stainless steel 5" Solid Zinc Diecast lever - 2 7/8" total projection
Lever Designs: Flat (standard, shown above) Curved, Half Curved, S-A & S-B
3 3/8" Wrought Brass Roses

**Design Hardware LE - Lever Esc**

ANSI A156.3, Grade 1
Meets ADA requirements ANSI A117.1 Steel, Zinc Dichromated Chassis - Stainless Steel Exterior Housing Heavy Duty trim option for use with all 1000 & 2000 series exit devices Thru bolted design thru bolts to head of exit device 5/16" Square, Steel - Machined & Heat Treated 5" Solid Stainless Steel lever - 2 7/8" total projection
Lever Designs: Flat (standard, shown above) Curved lever available in US32D only
Escutcheon: 3" Wide x 9" Height x 3/4" Projection - Will cover 161 door prep Non-Handed, Field selected at the time of installation
Door Thickness: 1 3/4" standard Thick door kits available for 2" thick doors
Functions: 02DT Dummy, 08 Entry (convertible to 03NL - Night latch), 08A Passage

**FALCON Lever trim (912 Series)**

Standard escutcheon trim with lever design.
Lever (L): key locks and unlocks the trim
Night latch (L-NL): key retracts latch but does not unlock trim
Dummy trim (L-DT): no cylinder, acts as a pull Blank escutcheon (L-BE): no cylinder or lever

ARR SRX87 I/C C/ROOM TRIM 26D (FORMERLY SR17)[MFG WEBSITE](#)

Lever Designs: Flat (standard, shown above) Curved, Half Curved, S-A & S-B
3 3/8" Wrought Brass Roses
Non-Handed Completely Reversible
Door Thickness: 1 3/4" standard - available for 2" thick doors, specify when ordering
Functions: Passage, Storeroom & Entry 6 Pin Brass, C Kw, with 2 Keys std., Prepared for Small format IC core (less core) 11 Popular competitor keyways available with replacement cylinders
Finishes: US3, US4, US10B, US26, US26D

DHW KIL F EXIT TRIM 26D[MFG WEBSITE](#)

Non-Handed Completely Reversible
Door Thickness: 1 3/4" standard - available for 2" thick doors, specify when ordering
Functions: Passage, Storeroom & Entry
6 Pin Brass, C Kw, with 2 Keys std., Prepared for Small format IC core (less core) 11 Popular competitor keyways available with replacement cylinders
Finishes: US3, US4, US10B, US26, US26D

DHW KIL IC F EXIT TRIM 26D[MFG WEBSITE](#)

Fasteners: Includes thru bolt posts and 1/4"-20 machine screws for installation
Cylinder: 1 1/8" Mortise cylinder with std. cam (included) - 6 Pin Brass, C Kw, with 2 Keys
Optional Cylinder: 1 3/8" Mortise cylinder housing for 6 or 7 pin Small format IC core (less core)
Optional Keyways: 11 Popular competitor keyways available with replacement cylinders
Finishes: US3, US4, US10B, US26, US32D (Type 304SS standard) (Marine Grade 316SS option)
Accessories: 1/8" Cylinder collar spacer rings - (2 are supplied with IC housings)
Electrified Options: 12 or 24 Volt (AC/DC) Fail Safe (Electrically Locked), Fail Safe (Electrically Unlocked). See electrified section

DHW LE-08 TRIM 32D**DHW LE-08A-2 TRIM 32D**[MFG WEBSITE](#)**FAL 912L DANE SP28 LHR ESC TRIM (Less Mortise Cylinder)****FAL 912L DANE SP28 RHR ESC TRIM (Less Mortise Cylinder)**[MFG WEBSITE](#)**PDQ 6EW HEAVY DUTY TRIM**

Designed for high use and abuse Grade 1 applications.
Compatible with other manufacturers exit devices using simple adapter kits.
Non-handed, field reversible.
Heavy duty cast alloy (not formed steel) escutcheon through-bolts directly into exit device chassis.
Built to last.
Industry leading 28-degree lever rotation that makes the door quicker and easier to open.

Precision Hardware 1700 Series

Field reversibility for easy installation Variety of finishes and trim styles
Vandal Resistant trims (APEX and Olympian Series):
Extra strength "overload" springs and cast stainless steel internal components to withstand abuse
Lever automatically returns to the home position; no resetting required

Precision Hardware V4908A Vand

A heavy duty lever trim designed to withstand abuse and vandalism. Composed of extra strength shock absorbing "overload" springs and heavy duty investment cast stainless steel internal components.

SARGENT 20 Series Trims

28 Series Lever & Rose Trim for 2727/2828 Series Exit Devices
ADA COMPLIANT
Lever & Rose Trim
For 1-3/4" (44mm) doors only
Functions available for 04, 06, 10, 13 and 15
Not handed
Finishes: 03, 04, 10, 10B, 10BE, 20D & 26D
Lever designs available: "L", "B", "P"
To order specify 28 followed by the function
Trim will not retrofit on devices purchased prior to 2000. Consult factory.

STANLEY QET100: HEAVYDUTY EXI

Exit Device Trims
Complete your STANLEY Commercial
Hardware exit device solution with coordinated trims designed to work with QED100, QED200 and QED300 exit devices. Our trim collections offer even more customization options to fit a wider range of applications. And we don't just match aesthetics—our trims provide the same quality and reliability you expect from. STANLEY Commercial Hardware.

Field convertible functions with a simple kit; Classroom to Storeroom, Storeroom to Classroom.
Assembled in the USA.

PDQ 6EWS-STP-PHL-626-SCC-KD pdqSMART STAND-ALONE SMART TOUCH PIN LOCK HEAVY DUTY EXIT DEVICE TRIM**PDQ 6EWS-XLS-PHL-626-SCC-KD pdqSMART CLOUD HOSTED NETWORKED ACCESS CONTROL LOCK HEAVY DUTY EXIT DEVICE TRIM**[MFG WEBSITE](#)

Available functions: dummy, night latch, classroom and passage
Recessed cylinder for increased security and aesthetics

PHI 3R01702A x 630 DUMMY PULL TRIM**PHI 3R01703A x 630 KEYPED PULL TRIM (less Rim Cylinder)**[MFG WEBSITE](#)

Lever returns to the "home" position eliminating the need to reset the lever.

PHI V4908A LEVER TRIM LHR 630 (LESS RIM CYL)**PHI V4908A LEVER TRIM RHR 630 (LESS RIM CYL)**[MFG WEBSITE](#)

(K, N, D, C or L), the rose (L), the lever (L, B or P) and finish

SAR 28C LL PANIC TRIM 10B CLASSROOM**SAR 28C LL PANIC TRIM 26D CLASSROOM****SAR 28K LL PANIC TRIM 10B - STOREROOM****SAR 28K LL PANIC TRIM 26D - STOREROOM****SAR 28L LL PANIC TRIM 26D PASSAGE**[MFG WEBSITE](#)**STA QET130 E PASSAGE 626 Grade 1 Heavy Duty Escutcheon Lever Trim****STA QET160 E CLASSROOM 626 Schlage C x KD Grade1 Heavy Duty Keyed Escutcheon Lever Trim (Mortise Cylinder included)****STA QET170 E STOREROOM 626 Schlage C x KD Grade 1 Heavy Duty Escutcheon Trim (Rim Cylinder Included)**[MFG WEBSITE](#)

TRIM



STANLEY QET300: STANDARD DUTY

Exit Device Trims
Complete your STANLEY Commercial Hardware exit device solution with coordinated trims designed to work with QED100, QED200 and QED300 exit devices. Our trim collections offer even more customization options to fit a wider range of applications. And we don't just match aesthetics our trims provide the same quality and reliability you expect from STANLEY Commercial Hardware.

STA QET330 E PASSAGE 689 Grade 1 Standard Duty Escutcheon Lever Exit Trim

STA QET360 E CLASSROOM 689 Schlage C x KD Grade 1 Standard Duty Keyed Escutcheon Lever Exit Trim (with mortise cylinder)

STA QET370 E STOREROOM 689 Schlage C x KD Grade 1 Standard Duty Keyed Escutcheon Lever Exit Trim (with mortise cylinder)

[MFG WEBSITE](#)



STANLEY QRT300: STANDARD DUTY

Exit Device Trims
Complete your STANLEY Commercial Hardware exit device solution with coordinated trims designed to work with QED100, QED200 and QED300 exit devices. Our trim collections offer even more customization options to fit a wider range of applications. And we don't just match aesthetics —our trims provide the same quality and reliability you expect from STANLEY Commercial Hardware.

STA QRT330 E PASSAGE 626 TRIM Grade 1 Standard Duty Lever Round Rose Exit Trim

STA QRT360 E CLASSROOM 690 TRIM Schlage C x KD Grade 1 Standard Duty Keyed Lever Round Rose Exit Trim

STA QRT370E STOREROOM 690 Schlage C x KD Grade 1 Standard Duty Lever Round Rose Exit Trim

STA QRT361E SFIC CLASSROOM 626 (Less Core) Grade 1 Standard Duty Keyed Lever Round Rose Exit Trims

STA QRT371E SFIC STOREROOM 626 (Less Core) Grade 1 Standard Duty Keyed Lever Round Rose Exit Trims

STA QRT360 E CLASSROOM 626 TRIM Schlage C x KD Grade 1 Standard Duty Keyed Lever Round Rose Exit Trim

STA QRT370E STOREROOM 626 Schlage C x KD Grade 1 Standard Duty Lever Round Rose Exit Trim

[MFG WEBSITE](#)



Von Duprin 990 Trim

Night latch
Key retracts Latch Bolt
Escutcheon plate size 3" x 14 3/16" x 3/32"
Projection: 2"
Rim Cylinder
1 1/4" Mortise Locking Device

VON 990NL R&V TRIM 26D (less rim cylinder)

VON 990NL R&V TRIM 10B (less rim cylinder)

[MFG WEBSITE](#)



Von Duprin 996L Trim

Lever
Key Locks and Unlocks
Ansi Function 08
Escutcheon Plate Size: 2 3/4" x 10 3/4" x 27/32"
Projection 2 7/8"
Handed/reversible
Rim Cylinder
1 1/4" Mortise Locking Device

VON 996L R&V LHR TRIM 26D (rim cylinder sold separately)

VON 996L R&V RHR TRIM 26D (rim cylinder sold separately)

VON 996L R&V LHR TRIM 10B (rim cylinder sold separately)

VON 996L R&V RHR TRIM 10B (rim cylinder sold separately)

[MFG WEBSITE](#)



YALE 426F TRIM

YAL AU426F CLRM/STRM ESC TRIM
630 - less Rim Cylinder

YAL AU426F CLRM/STRM ESC TRIM 630 - less Rim Cylinder

[MFG WEBSITE](#)

TRIM



YALE 440F TRIM

YAL AU440F SERIES TRIM

YAL AU-448F PASSAGE TRIM 626 Exit Device Rose Trim

YAL AU441F STOREROOM TRIM 613E x 2802 6-Pin Schlage C Keyed Random KeyIn-Lever Nightlatch Rose Trim

YAL AU441F STOREROOM TRIM 626 x 2802 6-Pin Schlage C Keyed Random KeyIn-Lever Nightlatch Rose Trim

YAL AU446F CLASSROOM TRIM 613E x 2802 6-Pin Schlage C Keyed Random KeyIn-Lever Classroom Exit Device Rose Trim

YAL AU446F CLASSROOM TRIM 626 x 2802 6-Pin Schlage C Keyed Random KeyIn-Lever Classroom Exit Device Rose Trim

YAL BAU446F CLASSROOM TRIM 626 SFIC Key-In-Lever Classroom Exit Device Rose Trim Less Core

[MFG WEBSITE](#)

FINISH CHART

	US3 Bright Brass BHMA 605		US19 Matte Black BHMA 622
	US4 Satin Brass BHMA 606		US26 Bright Chrome BHMA 625
	US5 Antique Brass BHMA 609		US26D Satin Chrome BHMA 626
	US10 Satin Bronze BHMA 612		US32 Bright Stainless Steel BHMA 629
	US10B Oil Rubbed Bronze BHMA 613		US32D Stainless Steel BHMA 630
	US15 Satin Nickel BHMA 619		

FUNCTION CHART

	<i>Latchbolt operated by lever from either side. Outside lever locked by push button from inside. Unlocked by key from outside or rotating inside lever. When outside lever locked by push and turn button from inside, key from outside or rotating inside lever retracts latch, does not unlock outside lever.</i>
	<i>Latchbolt operated by knob from each side. Outside knob locked or unlocked by key from outside. Inside knob always operates latch</i>
	<i>Latch operated by rotating inside lever or key in outside lever. Outside lever always fixed</i>
	<i>Latchbolt operated by lever from either side. Outside lever locked by push button on inside. Unlocked by emergency release on outside, rotating inside lever, or closing door</i>
	<i>Latchbolt operated by lever from either side at all times</i>